

## HP LaserJet Enterprise 500 color MFP M575

Ideal for work teams that need a desktop, colour MFP which features one-touch workflows, a large colour touchscreen, enterprise-class manageability, security features and the option to extend capabilities with easy-to-integrate solutions.









# Get a big-picture view of workflows on a 20.32 cm (8-inch) colour touchscreen.

- Increase productivity: manage jobs using the 20.32 cm colour touchscreen.
- Print high-quality colour use HP EasyColor to optimise settings. HP LaserJet toner cartridges with ColorSphere toner deliver vibrant results at up 1,200 dpi.
- Print from virtually anywhere with HP ePrint<sup>1</sup>. With AirPrint™ you can print from your iPad®, iPhone® and iPod touch®<sup>2</sup>. Save and print files directly via an easy-access USB port.
- Get value out of the box: Original HP LaserJet toner cartridges are preinstalled.

# Accelerate performance with streamlined workflows and robust scanning features.

- Streamline business tasks use HP Quick Sets to launch one-touch workflows, including sending scanned documents directly to email, fax, or network folder
- Achieve accurate, high-quality scanning results: use touchscreen controls to preview, edit, and digitally send documents at the device<sup>3</sup>.
- Improve efficiency by sending scanned documents directly to email, fax, or network folder<sup>4</sup>.
- Automatically remove blank pages in scanned documents to avoid wasted paper.

# Enjoy top-flight manageability, extensibilty and robust security features.

- Manage your environment efficiently with industry-leading HP Web Jetadmin and HP Universal Print Driver<sup>5</sup>.
- Help increase security and protect business information across your printing environment with the HP High-Performance Secure Hard Disk.
- Protect documents with PIN printing capabilities, and add security solutions such as badge and card readers through the hardware integration pocket<sup>6</sup>.
- Extend the capabilities of work-team print environments with a rich array of easy-to-integrate solutions.

#### **ecohighlights**

- Save energy HP Auto On/Auto Off Technology turns your printer on when you need it and off when you don't<sup>1</sup>.
- Monitor, manage, and control the impact of your printing environment with HP EcoSMART Fleet<sup>2</sup>.

ENERGY STAR® qualified

HP Auto-On/Auto-Off capabilities subject to printer and settings

2 HP EcoSMART Fleet must be purchased separately. HP EcoSMART Fleet must be purchased separately. Heave specified support of the property o

ww.hp.com/ecosolutions

4

<sup>1</sup> Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see www.hp.com/go/eprintcenter. And for additional solutions see www.hp.com/go/mobile-printing-solutions; <sup>2</sup> Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countriess; <sup>3</sup> Additional capabilities available via HP Digital Sending Software that must be purchased separately; <sup>4</sup> Fax capabilities are standard on the HP LaserJet Enterprise 500 MFP M575ft, and are available as an upgrade for the HP LaserJet Enterprise 500 MFP M575dn.; <sup>5</sup> HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin. The HP Universal Print Driver is free and can be downloaded at www.hp.com/go/upd.; <sup>6</sup> Solutions deployed through the hardware integration pocket may require additional purchase.

#### Product walkaround

HP LaserJet Enterprise 500 color MFP M575f:

- 1. Intuitive 20.32 cm (8-inch) HP Easy Select pivoting touchscreen colour
- 2. 50-sheet automatic document feeder with indicator light
- 3. Plate glass scanner handles up to legal size
- 4. Easy-access USB port to save and print files directly
- 5. Hardware Integration Pocket for solution integration
- 6. 250-sheet output bin
- 7. Front door allows convenient access to one black and three colour, all in one HP print cartridges
- 8. Access port for optional Kensington style lock
- 9. 250-sheet input tray 2
- 10.Tray fill indicator
- 11. Power On/Off button
- 12. Home button (returns to home screen)
- 13. Built-in convenience stapler (holds 1,500 staple cartridge)
- 14. 100-sheet multipurpose tray 1 handles heavy custom media and provides easy access to paper jams
- 15. Built-in automatic two-sided printing
- 16. HP High Performance Secure Hard Disk
- 17. 800 MHz processor, 1536 MB RAM
- 18. Two internal host USB 2.0 type ports for 3rd-party solutions
- 19. RJ-11 fax port
- 20. Hi-Speed USB 2.0 port (for connecting 3rd-party devices)
- 21. Hi-Speed USB 2.0 printing port
- 22. HP Jetdirect Gigabit Ethernet print server
- 23. Foreign interface harness (for connecting external devices)



#### Series at a glance



#### HP LaserJet Enterprise 500 color MFP M575dn

- print, copy, scan, digital send
- print/copy speed of up to 30 ppm colour
- up to 1200 x 1200 dpi (HP ImageREt 3600)
- 1536 MB RAM

- 800 MHz processor2 Hi-Speed USB 2.0 Host1 Hi-Speed USB 2.0 Device
- 1 Gigabit Ethernet 10/100/1000 Base-TX network
- 1 Foreign Interface
- 1 Hardware Integration Pocket
- HP Auto-On/Auto-Off
- automatic two-sided printing
- 100-sheet multipurpose tray
- 250-sheet input tray
- 50-sheet Automatic Document Feeder (ADF)
- HP High Performance Secure Hard Disk



#### HP LaserJet Enterprise 500 color MFP M575f

• as HP LaserJet Enterprise 500 color MFP M575dn with standard fax and built-in convenience stapler

#### Recommended accessories













HP 100 ADF Roller

CF084A **HP Color LaserJet 500-sheet** Paper and Heavy Media Tray HP Color Laserlet 500-sheet Paper and Heavy Media Trays let you print on a range of paper types in sizes from 5.85 x 8.5 in (148.5 x 216 mm) to 8.27 x 14 in (210 x 356 mm)

while increasing total input

capacity to up to 1100 sheets.

#### CC487A HP LaserJet MFP Analog Fax Accessory 500

Improve workteam productivity and make information sharing more efficient. Simply add embedded analog fax functionality to your HP LaserJet MFP<sup>1</sup> to send and receive documents quickly, easily and securely.

#### J8021A HP Jetdirect ew2500 802.11b/q Wireless Print

Get the best of both worlds share HP printers and multifunction products via wireless or wired networks. Send and print documents protected by IPSec, 802.11x and several encryption options. Enjoy easy installation, set up and management.

#### Q7432A HP Staple Cartridge Pack Convenient refill contains two

staple cartridges of 1500 HP Laserlet Printer Cabinets let staples each. users optimally position the printer so it is highly accessible while adding storage for extra paper and supplies.

#### CF085A **HP LaserJet 500 color Series Printer Cabinet**

quality scanning.

#### Replacement Kit HP Scaniet maintenance kits ensure your HP scanner remains in working condition and continues providing high

#### Ordering information



#### HP LaserJet Enterprise 500 color MFP M575dn (CD644A)

HP LaserJet Enterprise 500 color MFP M575dn (includes built-in automatic two-sided printing, HP Jetdirect 10/100/1000 Base-TX Ethernet embedded print server, embedded HP High-Performance Secure Hard Disk); power Cord; HP LaserJet Toner Cartridges, 1 Black (~5500 pages), 1 each Magenta, Cyan, Yellow (~6,000 pages); software and documentation on CD-ROM; Installation guide, support flyer



#### HP LaserJet Enterprise 500 color MFP M575f (CD645A)

HP LaserJet Enterprise 500 color MFP M575f (includes built-in automatic two-sided printing, HP Jetdirect 10/100/1000 Base-TX Ethernet embedded print server, embedded HP High-Performance Secure Hard Disk, fax, convenience stapler); power Cord; HP LaserJet Toner Cartridges, 1 Black (-5500 pages), 1 each Magenta, Cyan, Yellow (-6,000 pages); software and documentation on CD-ROM; Installation guide, support flyer; Fax cable

### Accessories, Supplies and Support

Accessories				
CF084A	HP Color LaserJet 500-sheet Paper and Heavy Media Tray			
CC487A	HP LaserJet MFP Analog Fax Accessory 500			
Q7432A	HP Staple Cartridge Pack			
CF085A	HP LaserJet 500 color Series Printer Cabinet			
L2718A	HP 100 ADF Roller Replacement Kit			
Connectivity				
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server			
J8026A	HP Jetdirect 2700w USB Wireless Print Server			

Supplies	
CE400A	HP 507A Black LaserJet Toner Cartridge Average continuous Black Cartridge yield 5,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE400X	HP 507X Black LaserJet Toner Cartridge Average continuous Black Cartridge yield 11,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE401A	HP 507A Cyan LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magentc Cartridge yield 6,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE402A	HP 507A Yellow LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magento Cartridge yield 6,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE403A	HP 507A Magenta LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magento Cartridge yield 6,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE506A	HP Color LaserJet CE506A 220V Fuser Ki 150,000 pages
CE254A	HP Color LaserJet CE254A Toner Collection Uni Approximately 36,000 pages
CE484A	HP Color LaserJet CE484A 110V Fuser Ki 150,000 pages

# Service & support U1032E - HP 3 year Next Business Day Color LaserJet M575 Multifunction Printer Hardware Support U1034E - HP 3 year 4 hour 13x5 Color LaserJet M575 Multifunction Printer

Hardware Support
U1Q42E - HP 4 year Next Business Day Color LaserJet M575 Multifunction Printer

U1Q42E - HP 4 year Next Business Day Color LaserJet M373 Multifunction Printer Hardware Support
U1Q34E - HP 1 year Post Warranty Next Business Day Color LaserJet M575
Multifunction Printer Hardware Support
U1Q54PE - HP 1 year Post Warranty A hour 13x5 Color LaserJet M575
Multifunction Printer Hardware Support
U1Q56PE - HP 1 year Post Warranty 4 hour 13x5 Color LaserJet M575
Multifunction Printer Hardware Support
U1Q33PE - HP 2 year Post Warranty Next Business Day Color LaserJet M575
Multifunction Printer Hardware Support
U1Q33PE - HP 2 year Post Warranty Next Business Day Color LaserJet M575
Multifunction Printer Hardware Support
U1Q34E/U1Q34E/U1Q56PE: Please check availability at country level)

For a complete list of supplies, accessories and services, please refer to http://www.hp.com
for workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 1979s. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.



## **Technical specifications**

Print technology	Laser	Laser					
rint speed		10.5 sec, colour: As fast as 10.5 sec					
·	A4 black: Up to 30 ppm, colou	This page on block. As data to los see, choicin a tast as 10.5 sec.  Ad black: Up to 30 ppm, colour: Up to 30 ppm					
		Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software					
		application, driver, and document complexity.					
rocessor	800 MHz						
lemory	1536 MB. Not expandable						
ard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 250 GB; AES 128 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job File						
	Data, Secure ATA Erase-Disk).	110.1 05: 27.00					
rint	Quality Resolution	HP ImageREt 3600	, 1200 dpi				
	Printer languages	Black: Up to 1200 x 1200 dpi, Colour: Up to 1200 x 1200 dpi  HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)					
	Typefaces/fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mor					
	, ,	WorldType); 2 Internal Windows Vista® 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS					
		Emulation available at http://www.hp.com/go/laserjetfonts					
	Duty cycle (monthly, A4)	Up to 75,000 pages					
	Recommended monthly page vo Print margins (mm)	me2000 to 6000 Top: 5 mm. Left: 5 mm. Right: 5 mm. Bottom: 5 mm					
Fax	Frini margins (mm)	500 color MFP M575dn: Optional; 500 color MFP M5	761. Vaa.				
rux	Modem speed	33.6 kbps					
	Telecom compliance	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries					
	Fax resolution	Standard: 204 x 98 dpi. Fine: 204 x 196 dpi. Superfine: 300 x 300 dpi. Photo: 300 x 300 dpi (400 x 400 dpi for received faxes only)					
	Quick dialing	Up to 100 numbers (each with 100 destinations)					
Digital sending	File formats	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files					
	F .		(.pm, .pcl, .cht) Standard: Scan to e-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax. Optional: Optional via HP Digital Sending				
	Features						
Scan	Scan Spood	Up to 30 ppm (black & white, colour)	Send toworkflow; Send to printer; Authentication; Digital	in ida (send to EATA, Illiettiel), OCK			
cun	Scan Speed Type	Up to 30 ppm (black & white, colour) Flatbed, ADF. Colour scanning: Yes					
	Scan resolution	Optical: Up to 600 dpi					
	Bit depth	24-bit					
	Grey scale levels	256					
	Scannable area	Minimum media size: No minimum. Maximum media	size: 216 x 356 mm				
	Margins for scanned items	Left: 5 mm. Top: 5 mm. Right: 5 mm. Bottom: 5 mm					
Сору	Copy speed Copy resolution	A4 black: Up to 30 cpm, colour: Up to 30 cpm on					
	Multiple copies	Up to 9999 copies					
	Reduce/enlarge	25 to 400%					
ledia handling	Input:	Capacity	Weight	Size			
•	Tray 1	sheets (75 g/m²): 100; labels, transparencies,	Up to 60 to 216 g/m² (plain paper), 105 to 220	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm;			
		cardstock (163 g/m²): 50; cardstock (216 g/m²): 30	; g/m² (glossy paper)	postcard (JIS); DPostcard (JIS); envelopes (B5; C5; C			
		envelopes: 10		DL); 76 x 127 to 216 x 356 mm			
	Tray 2	sheets (75 g/m²): 250; cardstock (163 g/m²), labels,	Up to 60 to 163 g/m² (plain paper), 105 to 220	A4; A5; B5 (JIS); 148 x 210 to 216 x 297 mm			
	nay 2	transparencies: 100	g/m² (glossy paper)	74, 73, 83 (13), 140 X 210 10 210 X 277 IIIII			
		•					
	Tray 3	sheets (75 g/m²): 500; cardstock (163 g/m²), labels,		A4; A5; RA4; B5 (JIS); 148 x 210 to 216 x 356 mm			
		transparencies: 200 (optional 500-sheet tray)	g/m² (glossy paper) (optional 500-sheet tray)	(optional 500-sheet tray)			
	ADF	sheets: 50	45 to 120 g/m <sup>2</sup>	A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS);			
	ADI	31003. 30	45 16 120 g/ III	DPostcard (JIS); 10x 15 cm; 13 x 18 cm			
	Output:	Sheets: Up to 250 sheets. Envelopes: Up to 10 envelo	pes. Transparencies: Up to 100 sheets	, ,			
	Duplex printing:Automatic (stand						
Nedia types		light, plain, preprinted, prepunched, recycled, rough, mid-	weight, heavy, extra heavy, mid-weight glossy, heavy glo	ossy, extra heavy glossy); envelopes, labels, cardstock, car			
	glossy, transparencies, opaque film, user-defined						
Interface and connectivity	Standard: 500 color MFP MS75dn: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000Base-TX network; 1 Foreign Interface; 1 Hardware Integration Pocket; 500 color MED MS75E; 2 Hi-Speed USB 2.0 Heart 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000Base-TX network; 1 Foreign Interface; 1 Hardware Integration Pocket; 500 color MSD						
		MFP M575f: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000Base-TX network; 1 Foreign Interface; 1 Hardware Integration Pocket; 1 Fax; Optional: 802.11b/g/n wireless LAN (station mode), other networking accessories, HP Jetdirect 2700w USB Wireless Print Server (available in 2012)					
Operating systems compatibility		ows Vista®, Windows XP® (SP2+), Windows® Server 20		ws® Server 2008 R2 (64.hit): Mac OS X v10.5, v10.6			
peruning systems companioning		ystem support see: Citrix® and Windows® Terminal Service					
	(http://www.hp.com/go/unix,	http://www.hp.com/go/unixmodelscripts, http://www.hp	.com/go/jetdirectunix_software); SAP device types (http	://www.hp.com/go/sap/drivers,			
	http://www.hp.com/go/sap/p	http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver). Latest printer driver upgrade information available from HP Support web site at					
		http://www.hp.com/go/1j500colorMFPM575 software					
Ninimum system requirements	Microsoft® Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows® Server 2003 (SP1+), Windows® Server 2008, Windows® Server 2008 R2; 200 MB available hard disk space; operating						
Standard software		system compatible hardware system requirements, see http://www.microsoft.com. Mac OS X v10.5, v10.6, v10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.apple.com					
		requirements, see nttp://www.appie.com Windows/ Installer, HP PCL of discrete driver, Mac Installer, HP Postscript emulation driver					
Control panel		Windows® Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver  20.3 cm touchscreen CGD (Colour Graphic Display); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB 2.0 port; Hardware Integration Pocket					
· · · · · · · · · · · · · · · · · · ·		20.3 cm four-screen CBD (Colorus Graphic Usipary); roriginaring (acquisitions dring); intumination name burnon (for quick return to rine nome membry, 0.58 2.0 poir; narrowine integration rocks. Requirements: Input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 655 walts (printing), 665 walts (copying), 52 watts (ready), 1.13 watts (sleep), 0.99 watts (auto-off), 0.3 watts.					
Power		requirements.input volatige: 22 to 240 V 44 V 44 (+7 10/s), 30 Piz (+7 2 Piz), 6 X. Consumption:33 Wats [printing], 603 watts (peragn), 32 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (printing), 604 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (printing), 604 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (printing), 604 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 0.3 watts (ready), 11.3 watts (sieep), 72 watts (auto-an), 12.3 watts (sieep), 12.3 watts (sieep					
		and void the product warranty. Power consumption value in Auto-Off mode is for Auto-Off/Wake on network and depends on customer network switch capability, user configuration and network activity and					
	may require a firmware upgrade	may require a firmware upgrade. Off-mode power may vary while checking network packets for print jobs.					
imensions (w x d x h)	Out of package: 663 x 555 x 585 mm. Packaged: 750 x 640 x 725 mm						
Veight	Out of package: 500 color MFP M575dn: 46.5 kg; 500 color MFP M575f: 47 kg; Packaged: 500 color MFP M575dn: 52 kg; 500 color MFP M575f: 52.5 kg;						
rinter management	HP Web Jetadmin, HP Utility (M						
ecurity management		, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP	over TLS, IPsec/Firewall with Certificate, Pre-Shared Key	Authentication, and Kerberos Authentication; Support for			
	WJA-10 IPsec Configuration using						
Operating environment		Operating temperature: 10 to 30°C. Recommended operating temperature: 15 to 27°C. Operating humidity: 10 to 70% RH. Operating humidity recommended: 20 to 60% RH. Storage temperature: 0 to					
	<u> </u>	35°C . Storage humidity: 10 to 90% RH					
coustics	Acoustic Pressure Emissions: 52						
Certifications	Acoustic Pressure Emissions: 52 dB(A) CISPR 22: 2005+A1/EN 55022: 2006+A1 Class A, EN 61000-3-2: 2006+A1: 2009+A2: 2009, EN 61000-3-3: 2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, ICES-003, GB9254-2008,						
or micalions	CB17625: 12003, FMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries. Regulatory standards (EC 60950-14-1) (International), EN						
		60950-1+A11 +A1 2 (EU), IEC 60825-1, CS License (Europe), EN 60825-1 (Class 1 Lises/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as					
			required by individual countries. EMERGY STAR: Yes				
			tason, tes somes,, ton romage smeame 2000, 70, 20	3( 1 " / 11			

http://www.hp.com/ukSolutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd















