# ideapad C340-14API 81N600B6BM

### Product

ideapad C340-14API

### Region

EET

# Country/Region

Bulgaria

# Machine Type

81N6

### Processor

AMD Ryzen 3 3200U (2C / 4T, 2.6 / 3.5GHz, 1MB L2 / 4MB L3)

### Graphics

Integrated AMD Radeon Vega 3 Graphics

### Chipset

AMD SoC Platform

#### Memory

4GB Soldered DDR4-2400 + 4GB DIMM DDR4-2400

### Storage

256GB SSD M.2 2280

### Display

14" FHD (1920x1080) IPS 250nits Glossy

### Touchscreen

10-point Multi-touch

# Pen

Lenovo Active Pen 2

# Optical

None

# Media Reader

4-in-1 Card Reader

### Ethernet

None

### WLAN + Bluetooth

11ac, 1x1 + BT4.2

### WWAN

None

### Case Material

PC / GF (Top) + PC / ABS (Bottom)

# **Bundled Accessories**

None

# Camera

720p

# Microphone

2x, Array

# Color

Platinum Grey

# Keyboard

Backlit, Bulgarian

# Fingerprint Reader

Touch Style

# NFC

None

### TPM

FW TPM 2.0

# Battery

Integrated 45Wh

# Power Adapter

65W Round Tip

### Operating System

Windows 10 Home 64, English

# **Bundled Software**

Office Trial

### Base Warranty

2-year, Depot

### **Bundled Service**

None

### EAN/UPC/JAN

194632551679

# End of Support

2025-12-14

### Announce Date

2019-11-14

### Recommended Services

### Best

3Y Depot/CCI upgrade from 2Y Depot/CCI delivery (5WS0K75717)

# WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



# https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



AMD⊅

# ideapad C340-14API AMD Platform Specifications

| ## Special Constitution of the Constitution of the Computer Special Constitution of t | Processor                    | AMD Ryzen™ Mobile Processors with Radeon™ Vega Graphics  |       |           |             |              |                |           |                         | WLAN  | One of the following, configurable by model:   |
|--|------------------------------|--|-------|-----------|-------------|--------------|----------------|-----------|-------------------------|---|--|
| Affine 3000   2   4 GHz   3 GHz   18B127   18B12 |                              |  |       |           |             |              | requency Cache |           |                         |   | <ul> <li>802.11ac 1x1 Wi-Fi + Bluetooth 4.2, M.2 Card</li> <li>802.11ac 2x2 Wi-Fi + Bluetooth 4.2 M.2 Card</li> </ul>  |
| Ryzen 3   2   2   6   6   1   1   1   1   1   1   1   1  |                              |  |       | Threads   | . ,         |              |                |           |                         | Bluetooth™  | Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter  |
| Ports   Support   Ports      |                              |  | -     |           | 2.4 GHZ     | 3.3 GHZ      | 1MB   2 /      |           |                         | Dimensions Weight Case color Case material Camera Audio support | 4-in-1 media reader (MMC, SD, SDHC, SDXC) Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C™ Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack * Depending on many factors, actual data transfer speed may be lower than theoretical speed WxDxH: 12.91" x 9.01" x 0.7"; 328mm x 229mm x 17.9mm 1.65 kg (3.64 lb) Onyx black, platinum grey Display cover: PC + GF Bottom: PC/ABS plastic |
| Pigen   Sayou   Pigen   Pige   |                              |  |       | - 4       | 2.6 GHz     | 3.5 GHz      |                | DDR4-2400 | Vega 3<br>Graphics      |   |  |
| Ryzen 5   3500U   4   8   2.1 GHz   3.7 GHz   2MB L2 / 4MB L3   8   2.1 GHz   3.7 GHz   2MB L2 / 4MB L3   8   8   2.3 GHz   4.0 GHz   4MB L3   4M   |                              |  |       |           | 2.1 GHz     | 3.5 GHZ      |                |           | Radeon<br>Vega 6        |   |  |
| AMD Radeon Rys. 1979.  Figure 7 3700U  Replace No. 23 GHz  AUG Badeon Rys. 1979.  AMD Radeon Rys. 1979.  AMD Radeon Rys. 1979.  AMD Radeon Vega 3, Vega 6, Vega 8 or RX Vega 10 Graphics in processor only, supports external digital monitor via HDM!; Security chip Fingerprint reader on the palm rest on the palm reader on the palm rest on the palm reader on the palm rest of the processor with lower memory controller.  AMD Soc (System on Chip) platform 88G max offering / 2400MHz DDR4, Optional: 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket 'System clocks down for processors with lower memory controller.  Display  One of the following, configurable by model: 2400 mist, 16:9 aspect ratio 14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 220 nits, 16:9 aspect ratio 2400MHz, 16:0 mist, 16:9 aspect ratio 250 mist, 16:9 aspect ratio 4 models without battery (battery need to be purchased separately for the models without battery (battery need to be purchased separately for the models without battery (battery need to be purchased separately for the models without battery)  Storage  Optical  Optical **Continuation**  Optical **Continuation**  AMD Radeon Nava (Replaced to Replace and Continuation of Replaced to Replace and Palma (Replaced to Replaced to System of Replac |                              |  |       | 8         | 2.1 GHz     | 3.7 GHz      |                |           | AMD<br>Radeon<br>Vega 8 |   |  |
| AMD Radeon Vega 3, Vega 6, Vega 8 or RX Vega 10 Graphics in processor only, supports external digital monitor via HDMI; supports dual independent display:   AMD Radeon Vega 3, Vega 6, Vega 8 or RX Vega 10 Graphics in processor only, supports external digital monitor via HDMI; supports dual independent display:   AMD Soc (System or Chip) platform  |                              |  |       |           | 2 3 GHz     | 4 0 GHz      |                |           | AMD<br>Radeon RX        |   | HD Audio, Dolby Audio™, stereo speakers, 2W x 2,   |
| supports external digital monitor via HDMI; supports dual independent display; Max resolution: 1920x1080@60Hz (HDMI)  Chipset Memory and Display and D |                              | 3700U  |       |           |             |              |                |           |                         |   | 6-row, multimedia Fn keys, optional LED backlight<br>Mylar surface multi-touch touchpad  |
| Chipset Memory and Sterning / 2014: 10 hrs   SGB max offering / 2014: 10 hrs   AC adapter   Preload   Preloaded operating system   • 14.0° (356mm) HD (1366x768), TN, glossy, LED backlight,   220 nits, 16:9 aspect ratio   • 14.0° (356mm) HD (1920x1080), IPS, glossy, LED backlight,   220 nits, 16:9 aspect ratio   • 14.0° (356mm) HD (1920x1080), IPS, glossy, LED backlight,   250 nits, 16:9 aspect ratio   • 14.0° (356mm) HD (1920x1080), IPS, glossy, LED backlight,   250 nits, 16:9 aspect ratio   • 14.0° (356mm) HD (1920x1080), IPS, glossy, LED backlight,   250 nits, 16:9 aspect ratio   • 14.0° (356mm) HD (1920x1080), IPS, glossy, LED backlight,   250 nits, 16:9 aspect ratio   • Milti-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Multi-touch   Supports 10-finger gesture   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   4 modes: notebook, tablet, stand and tent; 360° hinge   5 mercial standard   5 mercial standard   5 mercial standard   5 mercial standard    | Graphics                     | supports external digital monitor via HDMI;<br>supports dual independent display;  |       |           |             |              |                |           | ssor only,              | Security chip<br>Fingerprint reade                              | Firmware TPM 2.0 integrated in chipset<br>or <i>Optional:</i> touch style Match-on-Host fingerprint reader on the palm rest  |
| Display  One of the following, configurable by model:  14.0" (356mm) HD (1366x768), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio  14.0" (356mm) FHD (1920x1080), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio  14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 220 nits, 16:9 aspect ratio  14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 250 nits, 16:9 aspect ratio  Multi-mode Pen (optional)  Storage  One of the following, configurable by model:  Some: M.2 (2280) SSD / SATA 6.0Gb/s (e.g. xxxGB SSD M.2 2242 PCIe NVMe)  Optical  One of the following, configurable by model:  None  Preloadd 4 Windows 10 Home S  Windows 10 Home and Studento Set Windows 10 Home and Student |                              | AMD SoC (System on Chip) platform<br>8GB max offering / 2400MHz DDR4,<br>Optional: 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket   |       |           |             |              |                |           | socket                  | Max battery life  AC adapter                                    | MobileMark® 2014: 10 hrs * Battery life varies significantly with settings, usage, & other factors   |
| Multi-mode Pen (optional)  4 modes: notebook, tablet, stand and tent; 360° hinge Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery)  Storage  One of the following, configurable by model: Some: M.2 (2280) SSD / SATA 6.0Gb/s (e.g. xxxGB SSD M.2 2280) Some: M.2 (2242) SSD / PCle NVMe, PCle 3.0 x 2, 16Gb/s (e.g. xxxGB SSD M.2 2242 PCle NVMe) Some: M.2 (2280) SSD / PCle NVMe, PCle 3.0 x 4, 32Gb/s (e.g. xxxGB SSD M.2 2280 PCle NVMe) None  Optical  A modes: notebook, tablet, stand and tent; 360° hinge Limited warranty  One of the following, configurable by model:  1-year depot repair service  |                              | One of the following, configurable by model:  14.0" (356mm) HD (1366x768), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio  14.0" (356mm) FHD (1920x1080), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio  14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 250 nits, 16:9 aspect ratio |       |           |             |              |                |           |                         | Preload   | <ul> <li>Windows<sup>®</sup> 10 Home 64</li> <li>Windows 10 Home S</li> <li>Windows 10 Pro Preloaded applications (only some listed)</li> <li>Microsoft Office Trial (with 30-day license)</li> <li>Microsoft Office 365 (with 1-year license)</li> <li>Microsoft Office Home and Business 2019</li> </ul>   |
| Storage  | Multi-mode<br>Pen (optional) | 4 modes: notebook, tablet, stand and tent; 360° hinge<br>Lenovo Active Pen 2, with replaceable battery or without battery<br>(battery need to be purchased separately for the models without battery)  |       |           |             |              |                |           | ′)                      | Limited warranty  | One of the following, configurable by model:  1-year depot repair service  |
| Optical None   | Storage                      | Some: M.2 (2280) SSD / SATA 6.0Gb/s<br>(e.g. xxxGB SSD M.2 2280)<br>Some: M.2 (2242) SSD / PCIe NVMe, PCIe 3.0 x 2, 16Gb/s<br>(e.g. xxxGB SSD M.2 2242 PCIe NVMe)<br>Some: M.2 (2280) SSD / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s  |       |           |             |              |                |           |                         | Environment   |  |
| Fthernet None  | Optical                      |  | WYOD. | COD 1VI.2 | . 2200 1 01 | C 14 V IVIC) |                |           |                         |   |  |
| EMOTION 11010  | Ethernet                     | None   |       |           |             |              |                |           |                         | 1   |  |

Note: The specifications above may not be available in all regions.





AMD







AN