## IdeaPad 5 14ARE05 81YM0049BM

**Product** 

IdeaPad 5 14ARE05

Region

EET

Country/Region

Bulgaria

Machine Type

81YM

**Processor** 

AMD Ryzen 3 4300U (4C / 4T, 2.7 / 3.7GHz, 2MB L2 /

4MB L3)

**Graphics** 

Integrated AMD Radeon Graphics

Chipset

AMD SoC Platform

Memory

8GB Soldered DDR4-3200

Storage

512GB SSD M.2 2280 PCIe NVMe

Display

14" FHD (1920x1080) IPS 300nits Anti-glare, 45%

Gamut

Touchscreen

None

Optical

None

Media Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ac, 2x2 + BT5.0

Case Material

Aluminium

Camera

720p

Microphone

2x, Array

Color

Light Teal

Keyboard

Backlit, Bulgarian

Fingerprint Reader

Touch Style

**TPM** 

FW TPM 2.0

Battery

Integrated 57Wh

**Power Adapter** 95W USB-C

3377 000

**Operating System** 

None

**Bundled Software** 

None

**Base Warranty** 

2-year, Depot

**Bundled Service** 

None

EAN/UPC/JAN

195042454765

**End of Support** 

2026-05-20

Announce Date

2020-04-20

## WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



## https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



AMD

## IdeaPad 5 14ARE05 Platform Specifications

Processor					ith Radeon™		26		Media reader	4-in-1 media reader (MMC, SD, SDHC, SDXC)
Trocessor	Processor Number	# of	# of	Base	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	Ports	Two USB 3.2 Gen 1 (one Always on) one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC),
	Ryzen 3 4300U Ryzen 5	4	4	2.7 GHz	3.7 GHZ	2MB/L2 4MB/L3	DDR4-3200	AMD Radeon Graphics		headphone / microphone combo jack, round AC power adapter jack (only available on plastic bottom models) *Depending on many factors, actual data transfer speed may be lower than theoretical speed
	4500U	6	6	2.3 GHz		3MB/L2			Camera	HD720p, 1.0MP resolution, with privacy shutter, fixed focus, bump camera,
	Ryzen 5 4600U		12	2.1 GHz	4.0 GHz	8MB/L3			Audio support	with dual array microphone HD Audio, Dolby Audio", stereo speakers, 2W x 2, dual array microphone, headphone / microphone combo jack
	Ryzen 7 4700U Ryzen 7 4800U		8	2.0 GHz	4.1 GHz	4MB/L2 8MB/L3				
		8	16	1.8 GHz					Keyboard Touchpad	6-row, multimedia Fn keys, optional LED backlight Buttonless Mylar surface multi-touch touchpad
Graphics	AMD Radeon Graphics in processor; supports external digital monitor via HDMI or USB-C; supports three independent displays;									Power-on password, hard-disk password, supervisor password Firmware TPM 2.0 integrated in chipset er Optional: Touch style fingerprint reader on power button
Chipset Memory	Max resolution: 3840x2160@30Hz (HDMI); 3840x2160@30Hz (USB-C)  AMD SoC (System on Chip) platform  4GB, 8GB or 16GB / 3200MHz DDR4, soldered to systemboard, dual-channel capable (8GB, 16GB only), no sockets								Battery	Integrated Li-Polymer 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr), integrated Li-Polymer 57Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W or 95W Type-C AC adapter MobileMark® 2014: 11.5 hr (45Wh) or 14 hr (57Wh)
Display	One of the following, configurable by model:								Max battery life	
	Size	Res	olution	Туре	Surface	Brightn	Aspect Ratio	Color Gamut	AC adapter	* Battery life varies significantly with hardware configurations, settings, usage, & other factors  Models AC adapter
		D (1366		TN	Anti-glare	250 n		45% NTSC		Aluminum bottom model 65W or 95W USB Type-C AC adapter
			0x1080)	TN	Anti-glare	250 n		45% NTSC		Plastic bottom model 65W round tip AC adapter
			0x1080)	IPS IPS	Anti-glare	300 n		45% NTSC 100% sRGB	Preload (opt)	Preloaded operating system
Multi-touch	14.0"   FHD (1920x1080)   IPS   Anti-glare   300 nits   16:9   100% sRGB   ● Windows® 10 Home 64   ■ Windows 10 Home in S mode									
Storage Optical (opt)	M.2 2242 or 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 External DVD burner, 9.5mm high								-	Windows 10 Pro 64     Preloaded applications (only some listed)
Ethernet	None								-	<ul> <li>Microsoft Office Trial (with 30-day license)</li> <li>Microsoft Office Home and Student 2019</li> </ul>
WLAN + Bluetooth™	One of the following, configurable by model:  802.11ac 2x2 Wi-Fi + Bluetooth 5.0, M.2 Card  802.11ax 2x2 Wi-Fi + Bluetooth 5.0, M.2 Card									<ul> <li>Microsoft Office Home and Business 2019</li> <li>Microsoft Office Professional 2019</li> <li>Microsoft Office Personal 2019</li> <li>Microsoft 365 Family</li> </ul>
Dimensions	Aluminum bottom model: 12.66" x 8.33" x 0.67"; 321.57mm x 211.59mm x 16.9mm  Plastic bottom model: 12.66" x 8.33" x 0.7"; 321.57mm x 211.59mm x 17.9mm								Limited warranty	Microsoft 365 Personal  One of the following, configurable by model:
Weight	Aluminum bottom model: Starting at 3.04 lb / 1.38 kg  Plastic bottom model: Starting at 3.06 lb / 1.39 kg								Limited warraffly	<ul> <li>1-year depot repair service</li> <li>1-year depot with 2-year system board repair service</li> </ul>
Case color Case material	Graphite grey, light teal or platinum grey  Display cover:  Aluminum									2-year/1-yr battery depot repair service
	Bottom: Aluminum or PC/ABS plastic								Environment	ENERGY STAR® 8.0; ErP lot3; RoHS-compliant
Note: The speci	fications ah	ove ma	v not he a	wailahla in	all regions					Lenov

Note: The specifications above may not be available in all regions.













AMD.