



DOCUMENT CAMERA A405 USER GUIDE

DECLARATION OF CONFORMITY

We, TRIUMPH BOARD a.s., Neklanova 122/15, 128 00 Prague 2,
Declare under sole responsibility that the product:

TRIUMPH BOARD Document Camera A405

Model: A405

EAN: 8592580041099

Is in conformity of essential requirements of EU directives:

EU Standards
EN 55022:2010
EN 55024:2010
EN 61000-3-2:2006+A1:2009+A2:2009
EN 61000-3-3:2008

and following Governmental regulations, as amended:
Government Regulation No. 17/2003 Coll. as amended (2006/95/EC including amendments)
Government Regulation No. 616/2006 Coll. as amended (including amendments 2004/108/EC)

The last two digits of the year in which the CE marking was affixed: 13

Place of Issue: Praha

Datum of issue: 9. 1. 2016



Ing. Ondřej Kryšpín, CEO

Note: Translation from original CE

INTRODUCTION

The 5-Megapixel Document Camera is the ideal tool for presentations, image capturing and video recording. With this visual presenter and your computer, you can capture real-time images of 3D objects (up to 8.3 x 11.7 x 15" in size), magazines, books, documents, pictures and business cards and present through a monitor or projector. The unique down-facing lens makes repetitive image capturing, demonstrations, tutorials and lectures comfortable and simple. Along with these great features, use the included Media Impression HD software with your Document Camera A405 to take snapshots or record videos of just about anything, easily edit both images and videos with the advanced editing tools, plus enjoy Optical Character Recognition (OCR) function that scans your captured image and extracts text, making it easy to share information without retyping. The Document Camera A405 combines all the great features of today's most popular image capturing devices into one powerful product.

SPECIFICATIONS

- Image Sensor: 5.0 Megapixel CMOS Color Sensor
- Interface: USB 2.0
- Resolution: 2592 x 1944
- Image File Format: TIFF, JPG, BMP
- Image Capture Speed: 1 second
- Doc Format: DOC, PDF, RTF
- Video Format: AVI, FLV
- Shooting Area: Up to A4 Size - 8.3 x 11.7" (210 x 297mm)
- Focal Length: 4" to 15" (101 to 381mm)
- Focus: Auto
- Frame Rate 30 frames per second (max)
- LED Lights: 4
- White Balance: Auto
- Operating Dimensions: 12.2 x 3.5 x 13.8" (310 x 89 x 350mm)
- Folded Dimensions: 4.1 x 3.5 x 13.8" (105 x 89 x 350mm)
- Weight: 1,5 lb (700g)

REQUIREMENTS

- Operating System: Windows® 10,8,7,XP
MAC OS X 10.7 or higher
Android 4.0 or higher
- Connectivity Interface: USB 2.0 Port


CONTENTS



Document Camera



User Guide



USB Cable



Reversible Soft pad


DESCRIPTION

LED lights Control



INSTALLATION

1. Plug the USB connector into an available USB port on your computer and connect the other end of USB cable to the back of Document Camera



2. Document Camera A405 will connect automatically to your computer (A405 is a driverless device when used with Windows® 7, 8, Vista, XP). Your computer will recognized device as USB 2.0 Camera under Imaging Devices in Device Manager menu.



SOFTWARE DOWNLOAD AND INSTALLATION INSTRUCTIONS

ABBYY FineReader 12 Sprint


1) Visit the TRIUMPH BOARD website:

<http://www.triumphboard.com/support/software/>

2) Find Document Cameras section→ABBYY FineReader 12 Sprint

3) Click to start download ABBYY FineReader 12 Sprint software

4) Run ABBYY FineReader 12 Sprint.exe and install the software



ABBYY FineReader 12 Sprint User Manuals, visit the TRIUMPH BOARD website:

<http://www.triumphboard.com/support/>

LIMITED WARRANTY

Repair Service and Contacts

Please contact your local supplier for the warranty and technical service or find all warranty conditions on our website www.triumphboard.com.
For any questions please email us to info@triumphboard.com.

TRIUMPH BOARD a.s.
Neklanova 122/15
128 00 Praha 2
Czech Republic
EU

Phone: +420 224 910 221
Fax: +420 224 910 218
E-mail: info@triumphboard.com
www.triumphboard.com

PLEASE see our website www.triumphboard.com for updates and fresh product information in the product and support sections.