

GT1080e

Conveniently project a 100-inch image from just over a metre away



- Create a 100" Full HD 1080p image from just over a metre away
- Lights on viewing 3000 ANSI Lumens
- Easy connectivity 2x HDMI and MHL support with built-in 10W speaker
- Lightweight and portable (carry bag included)

Place your GT1080e on a coffee table and conveniently project a stunning 100 inch Full HD 1080p image from just over a metre from a flat surface or screen. Bright and versatile this portable projector is ideal for gamers with its low input latency, live sports and home entertainment any time of day. It even comes with a carry bag so you can take it round to a friend's house for a sports event, movie night or games marathon to provide you with the best big screen experience anywhere with a flat surface.

An integrated speaker provides you with great sound and two HDMI inputs enables an easy setup. Perfect for connecting a laptop, PC, Bluray player, media streamer or games console. You can even turn it into a smart projector by connecting a HDMI devices like the Google Chromecast[™], Amazon Fire TV or Apple TV[™] to play games, stream videos and share photos on the big screen in the comfort of your own home.

Lightweight and portable you can take it round to a friend's house with the included carry bag for a sports event, movie night or games marathon for the best big screen experience anywhere with a flat surface.

Specifications

Display/image	
Display technology	
Resolution Brightness	1080p Full HD (1920x1080)
Brightness Contrast ratio	3,000 lumens 25,000:1
Native aspect ratio	16:9
Aspect ratio - compatible	4:3
Keystone correction -	40
vertical	-0
Horizontal scan rate	15.375 ~ 91.146Khz
Vertical scan rate	24 ~ 85(120 for 3D)Hz
Uniformity	80%
Screen size	1.15m - 7.62m (45.3in - 300in)(Diagonal)
Lamp info	
Light source	Lamp
Lamp watts	190
Lamp life (hours)	5000 (Bright), 6500 (Dynamic), 6000 (Eco)
Optical	
Throw ratio	0.49:1
Projection distance (m)	0.5m - 3.35m
Zoom type	Fixed
Focal length (mm)	7.42
Native offset	116%
Connectivity	
Connections	Inputs 1 x HDMI 1.4a 3D support + MHL, 1 x HDMI 1.4a
	3D support
	Outputs 1 x Audio 3.5mm
	Control 1 x 3D sync, 1 x 12V trigger, 1 x mini USB service
General	
General Noise level (typical)	26dB
PC compatibility	FHD, UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
2D compatibility	NTSC M/J, 3.58MHz, 4.43MHz PAL B/D/G/H///M/N,
2D compatibility	4,430MHz SECAM B/D/G/K/K1/L, 4,25/4,4MHz 480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz)
3D compatibility	Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60
3D	Full 3D
Security	Security bar, Kensington Lock, Password protected interface
OSD / display languages	25 languages: Arabic, Czech, Danish, Dutch, English, Farsi, Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Norwegian, Polish, Portuguese, Romanian, Russian, Chinese (simplified), Spanish, Swedish, Chinese (traditional), Turkish, Vietnamese
Operating conditions	5°C ~ 40°C, Max. Humidity 85%, Max. Altitude 3000m
Remote control	Backlit home remote
Speaker count	1
Watts per speaker	10W
In the box	Carry bag
	Lens cap
	AC power cord
	Remote control
	Battery Basic user manual
Power	
Power Power supply	100 ~ 240V, 50 ~ 60Hz
Power supply Power consumption	0.5W
(standby)	0.044
	193W
Power consumption (min)	
	233W
Power consumption (max)	233W
Power consumption (min) Power consumption (max) Weight and dimensions Net weight	
Power consumption (max)	233W 2.65kg 315 x 224 x 114





Copyright © 2018, Optoma and its logo is a registered trademark of Optoma Corporation. Optoma Europe Ltd is the licensee of the registered trademark. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. All images are for representation purposes only and may be simulated. 08102018042442