

# ViewSonic® LED DISPLAY | **VX3211-2K-mhd**

---

## Key Features


Power in numbers with WQHD resolution  
| More viewable colour | SuperClear®  
IPS Panel Technology | Flexible  
connectivity | Dual intergrated speakers



## Product Description

Whether for office use or home entertainment, the ViewSonic® VX3211-2K-mhd monitor is designed to take your viewing experience to a higher level. The VX3211-2K-mhd is a 32" WQHD monitor loaded with solid multimedia features, flexible connectivity options, wide-angle viewing, and amazing screen performance with 99% sRGB colour coverage. Featuring stunning 2560 x 1440 resolution and a slim bezel design, this monitor provides 70% more on-screen content than Full HD monitors, making project management and multitasking easier. Versatile HDMI, DisplayPort, and VGA\* inputs keep you connected to your favorite devices. \*VGA supports up to 1080p resolution only

---



1. Power
2. HDMI
3. DisplayPort
4. VGA
5. Audio In
6. Audio Out

Visit Us [www.viewsonic.com](http://www.viewsonic.com)

## LCD PANEL

Monitor Size:	32"W (31.5" Viewable) LCD monitor
Panel Technology:	IPS TFT LCD
Resolution:	WQHD 2560 x 1440
Display Area:	698.112mm (H) x 392.688mm (V)
Aspect Ratio:	16:9
Brightness:	250 cd/m2 (Typ),
Contrast Ratio:	1200:1 (Typ),
Dynamic Contrast Ratio:	80,000,000:1
Viewing Angle:	178 degrees / 178 degrees (Typ)
Response Time:	GTG: 3ms
Colours:	1.07B colours (8 bit+FRC)
Colour Gamut:	sRGB: 127.72% size / 99% coverage NTSC:90.46% size / 82.55% coverage Adobe RGB:94.66% size / 87.66% coverage
Pixel Pitch:	0.2727mm (H) x 0.2727mm (V)

## INPUT SIGNAL

Frequency:	Fh = 24 ~ 83KHz ; Fv = 50 ~ 75Hz
Sync:	Separate Sync / Composite Sync / Sync on Green

## COMPATIBILITY

PC:	Windows 10 certified
Mac®:	Power Mac tested

## CONNECTOR

Digital:	HDMI x 1 DisplayPort x 1
Analog:	VGA x 1
Audio Out:	Earphone out x 1
Audio In:	Audio in x 1

## SPEAKERS

2.5W x 2
----------

## POWER

Power:	3-pin plug (CEE22) x 1
Voltage:	AC 100-240V (Universal); 50/60Hz
Consumption:	50W
Optimize:	42W
Conserve:	35W

## ERGONOMICS

Tilt:	13 ~ -5 degrees
Swivel:	N/A
Rotation:	N/A
Height Adjustment:	N/A

## WALL MOUNT

VESA®:	100mm x 100mm
--------	---------------

## OPERATING CONDITIONS

Temperature (° F / ° C):	32°F to 104°F (0°C to 40°C)
Humidity:	20% to 90% (no condensation)

## DIMENSIONS (W X H X D) (MM)

Physical with stand (mm):	729.7mm (W) x 495.5mm (H) x 230.02mm (D)
Physical without stand (mm):	729.7mm (W) x 432.8mm (H) x 58.33mm (D)
Packaging (mm):	838mm (W) x 615mm (H) x 282mm (D)

## WEIGHT

Net with stand (kg):	7.03kg (15.5lbs)
Net without stand (kg):	6.18kg (13.62lbs)
Gross (kg):	10.24kg (22.58lbs)

## REGULATIONS

FCC-B, Energy Star, EPEAT Silver, CE, REACH, EEL,  
WEEE, EAC, UkrSEPRO

## WARRANTY

\*Warranty offered may differ from market to market

## PACKAGE CONTENTS

LCD Display  
Power Cable (1.5m)  
HDMI Cable (1.5m)  
Audio Cable (1.5m)  
Quick Start Guide

\*Actual content may differ from market to market