Fujitsu recommends Windows 11 Pro.



### **Data Sheet**

# Fujitsu Notebook LIFEBOOK E5411

### Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5411 is designed for office workers needing a powerful, fullyequipped notebook. Thanks to the 11th generation Intel® Core™ processor you can work efficiently wherever you are. The advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

### Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 1.79 kg with a solid design
- Enjoy an ergonomic viewing experience with a 14.0-inch outdoor friendly anti-glare FHD display
- With optional touch or non-touch screen
- Long Lifecycle with 24 months

### Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Intel® Iris® Xe Graphics
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

### Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

### Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

■ Battery, memory, internal storage and connectivity components can be changed with ease

### Long-term stable platform

Protect your investments and be ready for shared desk concepts

■ This LIFEBOOK E5 Series provides an extraordinary guaranteed product lifecycle of 24 months.















## Components

Base unit	LIFEBOOK E5411	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.	
	Windows 11 Home	
	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Operating system compatible	FREE Upgrade to Windows 11*	
	*Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).	
Operating system notes	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a period	
	of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top	
	ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?lng=com&OpenTab=	
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 Threads, up to 4.8 GHz)	
110003501	Intel® Core™ i7-1165G7 processor (4 Cores / 8 Threads) *	
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads)	
	Intel® Core™ i5-1135G7 processor (4 Cores / 8 Threads) *	
	Intel® Core™ i3-1125G4 processor (4 Cores / 8 Threads) *	
	Intel® Core™ i3-1115G4 processor (2 Cores / 4 Threads) *	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
Display	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS touchscreen, 300 cd/m² (Touch), 700:1 (Touch)	
•	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 220 cd/m² (FHD), 700:1 (FHD)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

### Base unit

Base unit	LIFEBOOK E5411
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB

General system information			
Supported capacity RAM (max.)	64 GB		
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD ca	it. 1	
BIOS version	UEFI Specification 2.7		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC255		
Audio features	2x built-in speakers (stereo)		
MIL-STD tested	Yes, selected MIL-STD-810H tests passed.  MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.  Accidental damage is not covered under standard international limited warranty.		
Display			
Display notes	FHD - Viewing angle: Left/Right 80°, T * HD Display option available in LIFE	op 80°, Bottom 80°; Color Gamut: 45% 300K E5411/HD baseunit *	NTSC, response time 25 ms
Graphics			
Base unit	LIFEBOOK E5411		
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz)		
TFT resolution (VGA)	up to 1,920 x 1,200		
Graphics brand name	Intel® UHD Graphics (with Single cha	nnel memory), Intel® Iris® Xe Graphics (	(with Dual channel memory)
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5		
Graphics notes	Shared memory depending on main	memory size and operating system	
Interfaces (Base unit specific)			
DC-in	1		
Audio: line-in / line-out	1		
Internal microphones	2x digital array microphones (option	al)	
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB cha		
USB 4.0 Gen3 (20 Gbps) total	· · · · · · · · · · · · · · · · · · ·	OGbps), Power Delivery (15W), DP out	
VGA	1	, , ,	
HDMI	1 supports resolutions as specified in	HDMI 1.4b	
Ethernet (RJ-45)	1		
Memory card slots	1 SD 3.0 Standard SD/microSD card SDHC/microSDHC card SDXC/microSDXC card		
	Speed Class: up to UHS-I		
SmartCard slot	1 (optional)		
SIM card slot	1 (Nano-SIM, only for models with in	tegrated 4G/LTE module)	
Docking connector for Port Replicator	1		
Kensington Lock support	1		
Port Replicator interfaces (optional)	Thunderbolt™ 4 PR	Model: NDD//6 (mach DD)	LISR Typo C PP
DC in		Model: NPR46 (mech. PR)	USB Type-C PR
DC-in	1 (20V/170W required)	1 (19V/90W required)	1 (19V/90W required)
Power on switch	1	1	1
Audio: headphone		1	
Audio: microphone		1	
Audio: comments	1 Combo jack for headset usage		1 Combo jack for headset usage
USB 3.2 Gen1 (5 Gbps) total		4x Type-A 2x Type-C	
DisplayPort	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	1x V1.2

V/C A		1 /up to 1020v1200 (011=)	1	
VGA		1 (up to 1920x1200 60Hz)	1	
DVI		1 (up to 1920x1200 60Hz)	_ <del></del>	
HDMI text	V 2.0b		1	
Interface Notes	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W	
	2x Type-C - 5V, 1.5A/4.5W charging		1x Type-C - Up to 60 W (PD v2.0-1.1)	
	port		power output to client or 4.5W input	
	1x Type-C - TBT4 up to 60 W (PD v2.0-			
	1.1), 5-20V/3.0A upstream (PC), Intel			
	AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD			
	v2.0-1.1), 5V/3.0A downstream, power			
	output to client			
Kensington Lock support	1	1 (Portrep only, Portrep option with	no	
		key lock to secure Portrep & System)		
Ethernet (RJ-45)	1 (10/100/1000 Mbit/s, 2,5 Gbps)		1	
Notes	Number of simultaneous used displays and its possible resolutions	1 RJ45 (10/100/1000)	Number of simultaneous used displays and its possible resolutions	
	and frequencies depend on mobile		and frequencies depend on mobile	
	system and display interface type.		system and display interface type.	
	Please consult always also the manual		Please consult always also the manua	
	of the connected client.		of the connected client.	
Keyboard and pointing devices				
	Keyboard w/o touchstick (spill-resistan	t), Keyboard w/ touchstick, Backlit key	board w/o touchstick	
	Number of keyboard keys: 85, Keyboar	d pitch: 18.4 mm, Keyboard stroke: 1.7	mm	
	Multi gesture touchpad with two mou	se buttons		
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2 LTE ant	ennas optional		
Bluetooth	v5.1			
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD cat.	Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1		
WLAN encryption	·	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	Import and usage according to country	y-specific regulations.		
Integrated LTE or UMTS	LTE Sierra Wireless EM7421 (cat.7) - UM	LTE Sierra Wireless EM7421 (cat.7) - UMTS,LTE		
LTE/UMTS/GPS notes	Optional			
GPS	Embedded in 4G module if configured	with WWAN		
Power supply				
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard			
AC Adapter	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) DC-in AC-Adapter (for PR)			
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) DC-in AC-Adapter			
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter slim&light		
Notes	65W AC Adapter for usage with system	n/ 90W AC Adapter for usage with Port	Replicator	
1st battery	Lithium polymer battery 4-cell, 50 Wh, 3,490 mAh			
Battery features	Quick Charge: 80% in 1h			
Runtime 1st battery	9 h 10 min			
Battery notes	Battery runtime information is based o	on worldwide acknowledged BAPCo® N	NobileMark® 2018. Refer to www.bapco	
	com for additional details. The BAPCo® MobileMark® Benchmark p	nrovides results that enable direct prov	duct comparisons between	
	manufacturers. It does not guarantee a			
	depending on product model, configu			
	decreases slightly with every re-charge		- , , ,	
Noise emission				

Dimensions / Weight / Environmental	
Dimensions (W x D x H)	333.6 x 234 x 23.9 mm
	13.13 x 9.21 x 0.94 inch
Weight	1.79 kg
Weight (lbs)	3.94 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance	
Product	LIFEBOOK E5411
Model	5E14A2
Germany	GS (Full HD Display only)
Europe	CE CB
USA/Canada	FCC (depending on configuration) (planned)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Silver (dedicated regions), depending on configuration ENERGY STAR® 8.0 MIL-STD-810H tested
India	BIS
Russia	EAC
China	CCC (depending on configuration)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Recovery DVD for Windows®  Drivers & Utilities DVD (DUDVD)  Microsoft® Office Professional 2019  Microsoft® Office Home and Business 2019  (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)
Additional software (notes)	Use of additional software is subject to proactive acceptance of the respective End User License Agreement as applicable for the relevant software whether preinstalled or optional. This also applies for any available patches thereof.
 Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management

Manageability	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
System and BIOS Security	EraseDisk Trusted Platform Module (TPM 2.0)
User Security	Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password
Security Notes	The security features included in the product alone cannot protect from any and all intrusion attempts and cyberattacks. For an adequate overall level of IT security, further IT security measures (e.g. supplementary virus scanner settings, firewall, access rights management, encryption etc.) must be adopted independently of the available system configuration options. Hence the overall IT security for the product is within the sole responsibility of the respective user/administrator of the product.
Warranty	
Warranty period	1 year (for countries in EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support Services - the perfe	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

### **Recommended Accessories**

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1607-L219

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.

Order Code: S26391-F3327-L100 Battery 4 cell 50 Wh



The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code: S26391-F1616-L100

Wireless Notebook Mouse WI660



The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1600/2000 dpi). Sporting a stylish silverblack finish, the WI660 wireless mouse is well suited to all environments.

Order Code: \$26381-K471-L100

### More information

### Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK E5411, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

#### More information

Learn more about Fujitsu Notebook LIFEBOOK E5411, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2022 Fujitsu Technology Solutions

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2022-05-01 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2022 Fujitsu Technology Solutions GmbH