Fujitsu recommends Windows 11 Pro.

# Data Sheet Fujitsu Notebook LIFEBOOK U7311

### Ultra-Mobile Meets Ultra Secure

The FUJITSU Notebook LIFEBOOK U7311, based on the 11th generation Intel<sup>®</sup> Core<sup>™</sup> processor, is a slim and stylish ultra-mobile notebook for business professionals. With its 13.3-inch screen, light weight of 1.17 kg, Intel<sup>®</sup> Thunderbolt<sup>™</sup> 4 ports, it provides excellent mobility and portability. Ergonomic viewing is guaranteed along with outstanding security with the PalmSecure<sup>™</sup> or finger print sensor.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- Thanks to the complete magnesium housing, the weight of the remarkably slim 19.2 mm ultramobile notebook starts at 1.17 kg.
- Enjoy the Intel<sup>®</sup> Iris<sup>®</sup> Xe Graphics with an HD or FHD display on an outdoor-friendly anti-glare, FHD touch panel option.

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure<sup>™</sup> or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- ePrivacy Filter: Keep safe from prying eyes
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C

### Convenient upgradeability

Direct access to key components reduces upgrade time and costs Battery, memory and internal storage can be changed easily

### Family concept

Shared family port replicator with the LIFEBOOK E5 Series ensures ultimate flexibility and shared workplace concepts

Reduce your acquisition costs as well as the complexity of your IT equipment









## Components

Base unit	LIFEBOOK U7311		
Operating systems			
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.		
Operating system compatible	FREE Upgrade to Windows 11* *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).		
Operating system notes	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a period of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?Ing=com&OpenTab=		
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 Threads)		
	Intel® Core™ i7-1165G7 processor (4 Cores / 8 Threads) *		
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads)		
	Intel® Core™ i5-1135G7 processor (4 Cores / 8 Threads) *		
	Intel® Core™ i3-1125G4 processor (4 Cores / 8 Threads) *		
	*Processor only for retail, SMB, education and government		
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)		
	LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s)		
Display	33.8 cm (13.3-inch), HD, 1,366 x 768 pixel, Anti-glare display, 250 cd/m <sup>2</sup> , 500:1		
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS touchscreen, 300 cd/m <sup>2</sup> , 800:1		
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 300 cd/m <sup>2</sup> , 800:1		
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare ePrivacyFilter, 400 cd/m <sup>2</sup> , 1000:1		
Multimedia			
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED		
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter		
Microphone	dual digital array microphone		

### Base unit

Base unit

Conoral system information					
General system information Chipset	Integrated				
Built-in memory	8 GB				
Supported capacity RAM (min.)	8 GB				
Supported capacity RAM (max.)	40 GB				
Memory slots	1 SO DIMM (DDR4, 3200 MHz)				
Memory notes					
LAN	Dual channel support Built-in 10/100/1,000 MBit/s Intel® I219LM				
Integrated WLAN	Intel WiFi 6 AX201 - '				
BIOS version	UEFI Specification 2		.dl. 1		
BIOS features	InsydeH2O BIOS				
	On board				
Audio type Audio codec	Realtek ALC255				
Audio couec Audio features	2x built-in speakers	torool			
MIL-STD tested	Yes, selected MIL-ST		ccod		
MIL-STD tested	MIL-STD-810H test r	sults are not a	ssed. guarantee of future perform nder standard international		
Color	Black				
Material	Magnesium				
Display					
Display notes	HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gamut: 45% NTSC FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72% NTSC				
Graphics					
Base unit	LIFEBOOK U7311				
TFT resolution (HDMI)	Up to 4,096 x 2,160	60 Hz			
TFT resolution (VGA)	up to 1,920 x 1,200				
Graphics brand name	Intel <sup>®</sup> UHD Graphics	with Single ch	annel memory), Intel® Iris® X	e Graphics (wit	h Dual channel memory)
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5				
Graphics notes	•	ending on mair	n memory size and operating	g system	
Interfaces					
DC-in	1				
Audio: line-in / line-out	1				
Internal microphones	2x digital array micr	ohones (optior	nal)		
USB 3.2 Gen1 (5 Gbps) total		-			
USB 4.0 Gen3 (20 Gbps) total	2x Type-A(1 with Anytime USB charge functionality)2x Type-CIntel® Thunderbolt™ 4 (40 Gbps), Power Delivery (15W), DP out				
VGA	1		, <i>"</i> , · · · · · · · · · · · · · · · · · · ·		
HDMI	1 v2.0b				
Ethernet (RJ-45)	1 (with status LED)				
Memory card slots	1 SD 3.0 Standard SD/microSD card: 20 SDHC/microSDHC c SDXC/microSDXC ca Speed Class: up to L	rd: 32GB d: 2TB			
SmartCard slot	1 (optional)				
SIM card slot	1 (Nano-SIM, only fo	models with ir	ntegrated 4G/LTE module)		
Docking connector for Port Replicator	1				
Kensington Lock support	1				
Port Replicator interfaces (optional)					
	Thunderbolt <sup>™</sup> 4 PR		Model: NPR46 (mech. PR	)	USB Type-C PR
DC-in	1 (20V/170W require	ł)	1 (19V/90W required)		1 (19V/90W required)
Power on switch	1		1		1

Port Replicator interfaces (optional)					
Audio: headphone		1			
Audio: microphone		1			
Audio: comments	1 Combo jack for headset usage		1 Combo jack for headset usage		
USB 3.2 Gen1 (5 Gbps) total		4x Type-A 2x Type-C			
DisplayPort	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	1x V1.2		
VGA		1 (up to 1920x1200 60Hz)	1		
DVI		1 (up to 1920x1200 60Hz)			
HDMI text	V 2.0b		1		
Interface Notes	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A/4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input		
Kensington Lock support	1	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	no		
Ethernet (RJ-45)	1 (10/100/1000 Mbit/s, 2,5 Gbps)		1		
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.	1 RJ45 (10/100/1000)	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.		
Keyboard and pointing devices					
	Keyboard w/o touchstick (spill-resistan	nt), Keyboard w/ touchstick, Backlit key	poard w/o touchstick		
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm		im		
	Number of Reyboard Reys: 65, Reyboar	Multi gesture touchpad with two mouse buttons			
		se buttons			
Wireless technologies		se buttons			
Wireless technologies Antennas					
Antennas	Multi gesture touchpad with two mou				
Antennas	Multi gesture touchpad with two mouses 2 Dual band WLAN antennas, 2 LTE ant	ennas optional			
Antennas Bluetooth Integrated WLAN	Multi gesture touchpad with two mou 2 Dual band WLAN antennas, 2 LTE ant v5.1	rennas optional 1			
Antennas Bluetooth Integrated WLAN WLAN encryption	Multi gesture touchpad with two mou 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat.	rennas optional . 1 ress)			
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acc	ennas optional . 1 :ess) y-specific regulations. ITS,LTE			
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM	ennas optional . 1 :ess) y-specific regulations. ITS,LTE			
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to countr LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT	ennas optional 1 esss) y-specific regulations. ITS,LTE E			
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acc Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional	ennas optional 1 esss) y-specific regulations. ITS,LTE E			
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured	ennas optional 1 :ess) y-specific regulations. ITS,LTE E With WWAN	Adapter standard		
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	eennas optional . 1 :ess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC-	•		
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter AC Adapter	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acc Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H	rennas optional .1 :ess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC-, z - 60 Hz, 3-pin (grounded) slim and lig	ht AC-Adapter		
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter AC Adapter AC Adapter	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acconstruction) LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H	rennas optional .1 .ess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC- <i>i</i> z - 60 Hz, 3-pin (grounded) slim and lig z - 60 Hz, 3-pin (grounded) DC-in AC-A	ht AC-Adapter dapter (for PR)		
Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter AC Adapter AC Adapter AC Adapter AC Adapter	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	ennas optional .1 :ess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC- <i>i</i> z - 60 Hz, 3-pin (grounded) slim and lig z - 60 Hz, 3-pin (grounded) DC-in AC-A z - 60 Hz, 3-pin (grounded) Type-C AC- <i>i</i>	ht AC-Adapter dapter (for PR) Adapter slim&light		
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter AC Adapter AC Adapter AC Adapter AC Adapter Notes	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 65 W (3.25 A), 100 V - 240 V, 50 H 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	tennas optional .1 tess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC-, z - 60 Hz, 3-pin (grounded) slim and lig z - 60 Hz, 3-pin (grounded) DC-in AC-A z - 60 Hz, 3-pin (grounded) Type-C AC-, h/ 90W AC Adapter for usage with Port	ht AC-Adapter dapter (for PR) Adapter slim&light		
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS Power supply AC Adapter AC Adapter AC Adapter AC Adapter	Multi gesture touchpad with two mount 2 Dual band WLAN antennas, 2 LTE ant v5.1 Intel WiFi 6 AX201 - WLAN, BT, SRD cat. WPA/WPA2/WPA3 (Wi-Fi Protected Acco Import and usage according to country LTE Sierra Wireless EM7421 (cat.7) - UM LTE Fibocom L850-GL (cat.9) - UMTS,LT Optional Embedded in 4G module if configured 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H 20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	tennas optional .1 tess) y-specific regulations. ITS,LTE E with WWAN z - 60 Hz, 3-pin (grounded) Type-C AC-, z - 60 Hz, 3-pin (grounded) slim and lig z - 60 Hz, 3-pin (grounded) DC-in AC-A z - 60 Hz, 3-pin (grounded) Type-C AC-, h/ 90W AC Adapter for usage with Port	ht AC-Adapter dapter (for PR) Adapter slim&light		

Power supply		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapc com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration	
Dimensions / Weight / Environmental	311.4 x 216.8 x 19.2mm (non-touch and touch) mm	
Dimensions (W x D x H)	12.26 x 8.54 x 0.76 (non-touch and touch) inch	
Weight	1.17 kg	
Weight (lbs)	2.58 lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	
Compliance		
Product	LIFEBOOK U7311	
Model	7U13A2	
Germany	GS (Full HD Display only)	
Europe	CE	
	CB	
USA/Canada	FCC (depending on configuration) (planned)	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Silver (dedicated regions), depending on configuration ENERGY STAR® 8.0 MIL-STD-810H tested	
India	BIS	
Russia	EAC	
China	CCC (planned)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)	
Additional software (notes)	Use of additional software is subject to proactive acceptance of the respective End User License Agreement as applicable for the relevant software whether preinstalled or optional. This also applies for any available patches thereof.	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology	
Manageability software	DeskView Client DeskView Instant BIOS Management	

DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management
Supported standards	WMI (Windows Management Instrumentation)
	PXE (Preboot Execution Environment)
	DMI (Desktop Management Interface)
	SMBIOS (System Management BIOS)
	CIM (Common Information Model)
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	EraseDisk
	Trusted Platform Module (TPM 2.0)
User Security	Embedded PalmSecure™ sensor (optional)
	Embedded fingerprint sensor (optional)
	Access protection via internal SmartCard reader (optional)
	Hard disk password
	User and supervisor BIOS password
Security Notes	The security features included in the product alone cannot protect from any and all intrusion attempts and cyberattacks. For an adequate overall level of IT security, further IT security measures (e.g. supplementary virus scanner settings, firewall, access rights management, encryption etc.) must be adopted independently of the available system configuration options. Hence the overall IT security for the product is within the sole responsibility of the respective user/administrator of the product.

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu. com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support Services - the per	fect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

### **Recommended Accessories**

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)



Flexibility, expandability, desktop replacement, investment protection – toOrder Code:name just a few benefits of Fujitsu's docking options.\$26391-F1607-L219

USB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.
USB Port Replicator PR09	The new Fujitsu USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10 Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.
Battery 4 cell 60 Wh	The 4 cell 60 Wh battery requires a voltage of 14.4 V and has a capacity of Order Code: 4170 mAh. The weight of the battery is 342 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.
USB-C Hub 4 Ports	Fujitsu offers the first most powerful USB-C hybrid usage hub, following industrial requirements as well as being ready for office desktop usage. The USB-C Hub 4 Ports from Fujitsu makes connecting all of your USB peripherals a quick and simple process. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.
PLEVIER MANASSE 14	The Plevier Manasse 14 leather case is a compact and classic carrier for on the go. Available for notebooks up to 14 inches with a padded compartment, the sleeve ensures protection for your device while providing a sleek and subtle design in a black leather nappa shade.
PLEVIER TACAN 14	The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.
Wireless Notebook Mouse WI660	The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1600/2000 dpi). Sporting a stylish silver- black finish, the WI660 wireless mouse is well suited to all environments.
Keyboard KB950 Phone	The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.

### More information

#### Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7311, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

#### More information

Learn more about Fujitsu Notebook LIFEBOOK U7311, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/ emeia/resources/navigation/terms-of-use. html

Copyright 2022 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Fujitsu Technology Solutions GmbH

Website: www.fujitsu.com 2022-05-01 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2022 Fujitsu Technology Solutions GmbH