



27" IPS panel technology, edge-to-edge monitor featuring WQHD resolution

Stylish ultra-flat front design makes the ProLite XUB2792QSU perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles and the WQHD (2560 x 1440) resolution means the XUB2792QSU can accommodate almost 77% more information on the screen than a Full HD display. High contrast and brightness values guarantee the monitor will provide excellent performance for photographic and web design, and the height adjustable stand ensures you can easily adjust the screen position to your preferences. It is a great choice for both multi-monitor Digital Signage and office applications.

Available also in black: ProLite XUB2792QSU-B1.



WQHD

With true WQHD 2560 x 1440p resolution your monitor is ready to display high definition images. This means you can accommodate more information on your screen, i.e. over 76% more in comparison to a 1920 x 1080 monitor.



IPS TECHNOLOGY

IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter from what angle you look at it.

1. DISPLAY CHARACTERISTICS

| | |
|--------------------|---|
| DIAGONAL | 27"; 68.5cm |
| ASPECT RATIO | 16 : 9 |
| PANEL | IPS Panel Technology LED, matte finish |
| NATIVE RESOLUTION | 2560 x 1440 (3.7 megapixel) |
| BRIGHTNESS | 350 cd/m ² typical |
| STATIC CONTRAST | 1000 : 1 typical |
| ADVANCED CONTRAST | 5 000 000 : 1 ACR |
| RESPONSE TIME | 5ms |
| VIEWING ZONE | horizontal/vertical: 178° / 178°; right/left: 89° / 89°; up/down: 89° / 89° |
| BLUE LIGHT REDUCER | yes |
| FLICKER FREE LED | yes |
| DISPLAY AREA H X W | 335.7 x 596.7 mm; 13.2" x 23.5" |
| PIXEL PITCH H X V | 0.233 x 0.233 mm |
| HORIZONTAL SYNC | 30 - 89kHz |
| VERTICAL SYNC | 55 - 75Hz |
| SYNCHRONIZATION | Separate sync |
| DISPLAY COLOURS | 1.07 billion |

2. INTERFACES / CONNECTORS / CONTROLLERS

| | |
|-------------------------|-----------------------------------|
| DIGITAL INPUT CONNECTOR | DVI, HDMI, DisplayPort |
| HDCP | yes |
| HEADPHONE CONNECTOR | yes |
| USB HUB | UP 1 x USB 3.0 / DOWN 2 x USB 3.0 |

3. FEATURES

| | |
|-------------------------|---|
| APPLE - MAC | All iiyama monitors are compatible with Apple-Macintosh computers. |
| PLUG & PLAY | VESA DDC2B™ |
| CONTROLS | Via OSD in 11 languages (EN, FR, DE, IT, PL, ES, NL, CZ, RU, JP, Chinese) and 6 front controls (Power, Menu/ Select, +/- Volume, -/ ECO, Exit, Input) |
| USER CONTROLS | picture adjust (contrast, brightness, OD, ACR, ECO, blue light reducer), input select, audio adjust (volume, mute, digital audio), colour adjust, image adjust (sharpness, video mode adjust), language, setup (OSD position, OSD time out, opening logo, auto power off, FreeSync), display information, reset |
| SPEAKERS | 2 x 2 W (Stereo) |
| ANTI-THEFT-DEVICE | Kensington-lock™ prepared |
| CERTIFICATES | TCO, CE, TÜV-GS, CU |
| EXTRA FUNCTIONS | supports FreeSync™ Technology, DisplayPort: 2560x1440@70Hz |
| HEIGHT ADJUSTABLE STAND | Yes |
| HEIGHT ADJUSTMENT | 130mm |

| | |
|---------------------------|--------------------------|
| ROTATION (PIVOT FUNCTION) | 90° |
| SWIVEL STAND | 90°; 45° left; 45° right |
| TILT ANGLE | 22° up; 5° down |
| VESA MOUNTING | 100 x 100 mm |
| COLOUR | White |

4. ACCESSORIES

| | |
|----------------------|---|
| INCLUDED ACCESSORIES | power cable, HDMI cable, DisplayPort cable, USB cable, stand, quick start guide, safety guide |
|----------------------|---|

5. POWER MANAGEMENT

| | |
|-------------------|---|
| POWER SUPPLY | AC100~240V 50/60Hz |
| POWER SUPPLY UNIT | internal |
| POWER USAGE | 33 W typical; max. 0.5 W in Power management mode |
| POWER MANAGEMENT | VESA DPMS, ENERGY STAR® |

6. EU ENERGY EFFICIENCY LABEL

| | |
|---------------------------|-----------------------------|
| ENERGY EFFICIENCY CLASS | B |
| ON MODE POWER CONSUMPTION | 34.4W |
| ANNUAL ENERGY CONSUMPTION | 50 kWh/annum* |
| VISIBLE SCREEN DIAGONAL | 68 cm; 27"; (27" segment) |

This is information under Regulation (EU) No 1062/2010.

**Based on the power consumption of the television operating 4 hours per day for 365 days. The actual energy consumption will depend on how the television is used.*

7. EPEAT SILVER

| | |
|-------|--|
| EPEAT | EPEAT is a comprehensive environmental rating that helps identify greener computers and other electronic equipment. The Silver certification means the monitor meets all required criteria plus at least 50% of the optional requirements. EPEAT Silver is valid in countries where iiyama registers the product. Please visit www.epeat.net for the registration status in your country. |
|-------|--|

8. DIMENSIONS / WEIGHT

| | |
|----------------------|--------------------------|
| DIMENSIONS W X H X D | 611 x 397 (527) x 230 mm |
| WEIGHT | 6.1 kg |

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.