XPS 15 9520

Setup and Specifications



Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2022 Dell Inc. or its subsidiaries. All rights reserved. Dell Technologies, Dell, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

Chapter 1: Set up your XPS 15 9520	4
Chapter 2: Views of XPS 15 9520	6
Left	
Right	
Тор	
Front	
Bottom	
Chapter 3: Specifications of XPS 15 9520	10
Dimensions and weight	
Processor	
Chipset	
Operating system	
Memory	
Internal slots	
External ports	12
Wireless module	
Audio	13
Storage	13
Media-card reader	14
Keyboard	14
Camera	15
Touchpad	15
Power adapter	16
Battery	16
Display	17
Fingerprint reader	18
GPU—Integrated	18
GPU—Discrete	18
Operating and storage environment	19
Chapter 4: Dell low blue light display	20
Chapter 5: Keyboard shortcuts of XPS 15 9520	21
Chapter 6: Getting help and contacting Dell	23

Set up your XPS 15 9520

- i NOTE: The images in this document may differ from your computer depending on the configuration you ordered.
- 1. Connect the power adapter and press the power button.
 - NOTE: You can charge your computer by connecting the power adapter to one of the Thunderbolt 4 (USB4) Type-C ports or to the USB 3.2 Gen 2 Type-C port located on your computer.



- NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.
- 2. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:


- Connect to a network for Windows updates.
 - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- If connected to the Internet, sign in with or create a Microsoft account. If not connected to the Internet, create an
 offline account.
- On the **Support and Protection** screen, enter your contact details.
- 3. Locate and use Dell apps from the Windows Start menu—Recommended.

Table 1. Locate Dell apps

Resources	Description
Dell	My Dell Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.
	SupportAssist SupportAssist proactively and predictively identifies hardware and software issues on your computer and automates the engagement process with Dell Technical support. It addresses performance and stabilization issues, prevents security threats, monitors, and detects hardware failures. For more information, see SupportAssist for Home PCs User's Guide at www.dell.com/serviceabilitytools. Click SupportAssist and then, click SupportAssist for Home PCs. i NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.
S	Dell Update Updates your computer with critical fixes and latest device drivers as they become available. For more information on using Dell Update, search in the Knowledge Base Resource at www.dell.com/support .
	Dell Digital Delivery Download software applications, which are purchased but not preinstalled on your computer. For more information on using Dell Digital Delivery, search in the Knowledge Base Resource at www.dell.com/support.

Views of XPS 15 9520

Left



1. Security-cable slot (wedge-shaped)

Connect a security cable to prevent unauthorized movement of your computer.

2. Thunderbolt 4 (USB4) Type-C port with Power Delivery (2)

Supports USB4 Gen 3x2, DisplayPort 1.4a and Thunderbolt 4. Enables you to connect to an external display using a display adapter. Provides data transfer rates up to 40 Gbps for USB4 Gen 3x2 Thunderbolt 4. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/ 3 A power output that enables faster charging.

- i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.
- (i) NOTE: A 40 Gbps-certified cable is required to achieve the maximum performance of 40 Gbps.
- i NOTE: Thunderbolt 4 supports two 4K displays or one 8K display.
- i NOTE: USB4 is backward compatible with USB 3.2, USB 2.0, and Thunderbolt 3.
- NOTE: You can connect a Dell docking station to the Thunderbolt 4 ports. For more information, see the knowledge base article 000124295 at www.dell.com/support.

3. Left woofer

Enhances low-frequency audio output.

Right



1. Right woofer

Enhances low-frequency audio output.

2. USB 3.2 Gen 2 (Type-C) port with DisplayPort and Power Delivery

Connect peripherals such as external storage devices, printers, and external displays. Provides data transfer rate of up to 10 Gbps for USB 3.2 Gen 2x1 port.

Supports DisplayPort and also enables you to connect an external display using a display adapter.

i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/1.50 A power output

3. SD-card slot

Reads from and writes to the SD card. The computer supports the following card types:

- Secure Digital (SD)
- Secure Digital High Capacity (SDHC)
- Secure Digital Extended Capacity (SDXC)

4. Universal audio jack

Connect headphones or a headset (headphone and microphone combo).

Top



1. Microphones (2)

Provide digital sound input for audio recording, voice calls, and so on.

2. Power button with fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

Place your finger on the power button to log in with the fingerprint reader.

- NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.
- NOTE: In Windows, Windows Hello supports a defined number of fingerprints per account. For more information about configuring your fingerprint reader with Windows Hello, search in the Knowledge Base Resource at www.dell.com/support. support.

3. Right speaker

Provides audio output.

4. Right-click area

Press to right-click.

5. Left-click area

Press to left-click.

6. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two fingers tap to right-click.

7. Left speaker

Provides audio output.

Front



1. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

2. Ambient-light sensor

The sensor detects the ambient light and automatically adjusts the keyboard backlight and display brightness.

3. RGB-infrared camera

This combined camera supports both infrared Windows Hello facial recognition and standard RGB imaging for photos and videos.

4. Camera-status light

Turns on when the camera is in use.

5. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

6. Battery-status light

Indicates the battery-charge status.

Solid white—Power adapter is connected and the battery has more than 5% charge.

Amber—Computer is running on battery and the battery has less than 5% charge.

Off—Power adapter is disconnected or the battery is fully charged.

Bottom



1. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

Specifications of XPS 15 9520

Dimensions and weight

The following table lists the height, width, depth, and weight of your XPS 15 9520.

Table 2. Dimensions and weight

Description	Values
Height:	
Front height	18.54 mm (0.73 in.)
Rear height	11.65 mm (0.46 in.)
Width	344.40 mm (13.56 in.)
Depth	230.14 mm (9.06 in.)
Weight (minimum)	 1.84 kg (4.06 lb) for non-touch with 56 Wh battery 1.92 kg (4.22 lb) for non-touch with 86 Wh battery 1.96 kg (4.31 lb) for OLED touch with 86 Wh battery 2.10 kg (4.62 lb) for 4K+ touch with 86 Wh battery i) NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.

Processor

The following table lists the details of the processors supported by your XPS 15 9520.

Table 3. Processor

Description	Option one	Option two	Option three
Processor type	12 th Generation Intel Core i5-12500H	12 th Generation Intel Core i7-12700H	12 th Generation Intel Core i9-12900HK
Processor wattage	45 W	45 W	45 W
Processor core count	12	14	14
Processor thread count	16	20	20
Processor speed	Up to 4.50 GHz	Up to 4.70 GHz	Up to 5 GHz
Processor cache	18 MB	24 MB	24 MB
Integrated graphics	Intel Iris X ^e Graphics	Intel Iris X ^e Graphics	Intel Iris X ^e Graphics

Chipset

The following table lists the details of the chipset supported by your XPS 15 9520.

Table 4. Chipset

Description	Values
Chipset	Intel 600 Series
Processor	12 th Generation Intel Core i5/i7/i9k
DRAM bus width	64-bit
Flash EPROM	64 MB
PCle bus	Up to PCle Gen 4.0

Operating system

Your XPS 15 9520 supports the following operating systems:

- Windows 11 Home, 64-bit
- Windows 11 Pro, 64-bit

Memory

The following table lists the memory specifications of your XPS 15 9520.

Table 5. Memory specifications

Description	Values	
Memory slots	Two-SODIMM slots	
Memory type	DDR5	
Memory speed	4800 MHz	
Maximum memory configuration	64 GB	
Minimum memory configuration	8 GB	
Memory size per slot	8 GB, 16 GB, 32 GB	
Memory configurations supported	 8 GB, 1 x 8 GB, DDR5, 4800 MHz 16 GB, 2 x 8 GB, DDR5, 4800 MHz, dual-channel 32 GB, 2 x 16 GB, DDR5, 4800 MHz, dual-channel 64 GB, 2 x 32 GB, DDR5, 4800 MHz, dual-channel 	

Internal slots

The following table lists the internal slots of your XPS 15 9520.

Table 6. Internal slots

Description	Values	
M.2	Two M.2 2230/2280 slots for solid-state drive	
	(i) NOTE: To learn more about the features of different types of M.2 cards, search in the Knowledge Base Resource at www.dell.com/support.	

External ports

The following table lists the external ports on your XPS 15 9520.

Table 7. External ports

Description	Values
USB ports	 One USB 3.2 Gen 2 (Type-C) port with DisplayPort Two Thunderbolt 4 (USB4) Type-C ports with Power Delivery NOTE: Connect the power adapter (USB Type-C) to one of the three USB Type-C ports.
Audio port	One universal audio jack
Video port	USB Type-C port with DisplayPort Alt mode and Thunderbolt 4
Media-card reader	One SD-card slot
Docking port	 One USB 3.2 Gen 2 (Type-C) port with DisplayPort Two Thunderbolt 4 (USB4) Type-C ports with Power Delivery
Power-adapter port	DC-IN through one of the three USB Type-C ports
Security	1 wedge-shaped lock slot

Wireless module

The following table lists the Wireless Local Area Network (WLAN) module supported on your XPS 15 9520.

Table 8. Wireless module specifications

Description	Values
Model number	Intel Killer 1675 (AX211) (i) NOTE: The wireless module is soldered to the system board and cannot be replaced without replacing the system board.
Transfer rate	Up to 2400 Mbps

Table 8. Wireless module specifications (continued)

Description	Values
Frequency bands supported	2.4 GHz/5 GHz
Wireless standards	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax)
Encryption	64-bit/128-bit WEP AES-CCMP TKIP
Bluetooth	Bluetooth 5.2

Audio

The following table lists the audio specifications of your XPS 15 9520.

Table 9. Audio specifications

Description		Values
Audio controller		Realtek ALC3281
Stereo conversion		Supported
Internal audio interface	9	High definition audio interface
External audio interfac	е	Universal audio jack
Number of speakers		Two
Internal-speaker amplif	fier	Supported
External volume contro	ols	Keyboard shortcut controls
Speaker output:		
	Average speaker output	Tweeters (2 x 2 Watt); Woofers (2 x 2 Watt)
	Peak speaker output	2.5 Watt x 4 = 10 Watt
Subwoofer output		Supported
Microphone		Digital-array microphones

Storage

This section lists the storage options on your XPS 15 9520.

Your XPS 15 9520 supports the following storage options:

- One M.2 2230/2280 solid-state drive
- Up to two M.2 2230/2280 solid-state drives

Table 10. Storage specifications

Storage type	Interface type	Capacity
M.2 2230 solid-state drive	PCle Gen3.0x4 NVMe, up to 32 Gbps	Up to 256 GB
M.2 2230 solid-state drive	PCle Gen4.0x4 NVMe, up to 64 Gbps	Up to 256 GB
M.2 2280 solid-state drive	PCle Gen4.0x4 NVMe, up to 64 Gbps	Up to 4 TB

Media-card reader

The following table lists the media cards supported by your XPS 15 9520.

Table 11. Media-card reader specifications

Description	Values
Media-card type	One SD-card slot
Media-cards supported	Secure Digital (SD)Secure Digital High Capacity (SDHC)Secure Digital Extended Capacity (SDXC)
(i) NOTE: The maximum capacity supported by the media-car installed in your computer.	d reader varies depending on the standard of the media card

Keyboard

The following table lists the keyboard specifications of your XPS 15 9520.

Table 12. Keyboard specifications

Description	Values
Keyboard type	Standard backlit keyboard
Keyboard layout	QWERTY
Number of keys	United States and Canada: 79 keysUnited Kingdom: 80 keysJapan: 83 keys
Keyboard size	X = 19.05 mm key pitch Y = 18.05 mm key pitch
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program. For more information, see keyboard shortcuts Keyboard shortcuts.

Camera

The following table lists the camera specifications of your XPS 15 9520.

Table 13. Camera specifications

Desc	cription	Values	
Num	ber of cameras	One	
Cam	era type	RGB IR HD camera	
Cam	era location	Front	
Cam	era sensor type	CMOS-sensor technology	
Cam	era resolution:		
	Still image	0.90 megapixel	
	Video	1280 x 720 (HD) at 30 fps	
Infrared camera resolution:			
	Still image	0.20 megapixel	
	Video	576 x 360 (VGA) at 30 fps	
Diago	onal viewing angle:		
	Camera	78.50 degrees	
	Infrared camera	78.50 degrees	

Touchpad

The following table lists the touchpad specifications of your XPS 15 9520.

Table 14. Touchpad specifications

Description	Values
Touchpad resolution:	
Horizontal	1770
Vertical	1039
Touchpad dimensions:	
Horizontal	150.90 mm (5.94 in.)
Vertical	90 mm (3.54 in.)
Touchpad gestures	For more information about touchpad gestures available on Windows, see the Microsoft knowledge base article at support.microsoft.com.

Power adapter

The following table lists the power adapter specifications of your XPS 15 9520.

Table 15. Power adapter specifications

Description		Option one	Option two
Туре		90 W USB Type-C	130 W USB Type-C
Input	voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input	frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input	current (maximum)	1.50 A	1.80 A
Outp	ut current (continuous)	4.50 A	6.50 A
Rated	d output voltage	20 VDC	20 VDC
Temp	erature range:		
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

Battery

The following table lists the battery specifications of your XPS 15 9520.

Table 16. Battery specifications

Descript	tion	Option one	Option two
Battery t	ype	3-cell, 56 Wh "smart" lithium-ion	6-cell, 86 Wh "smart" lithium-ion
Battery \	/oltage	11.40 VDC	11.40 VDC
Battery v	weight (maximum)	0.26 kg (0.57 lb)	0.34 kg (0.75 lb)
Battery o	dimensions:		
	Height	77.70 mm (3.06 in.)	77.70 mm (3.06 in.)
	Width	295.20 mm (11.62 in.)	295.20 mm (11.62 in.)
	Depth	7.56 mm (0.30 in.)	7.56 mm (0.30 in.)
Tempera	ture range:		
	Operating	0°C to 70°C (32°F to 158°F)	0°C to 70°C (32°F to 158°F)
	Storage	-20°C to 65°C (-4°F to 149°F)	-20°C to 65°C (-4°F to 149°F)
Battery o	operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.

Table 16. Battery specifications (continued)

Description	Option one	Option two
i NOTE: Control the charging time,	2hr (Express charge), 3hr (Standard charge) hours (when the computer is off)	2hr (Express charge), 3hr (Standard charge) hours (when the computer is off)
Coin-cell battery	Not supported	Not supported

Display

The following table lists the display specifications of your XPS 15 9520.

Table 17. Display specifications

Descript	tion	Option one	Option two	Option three
Display t	уре	Full High Definition (FHD+)	WLED UHD+ Touch	OLED 3.5K Touch
Display-p	panel technology	Wide Viewing Angle (WVA), Eyesafe	Wide Viewing Angle (WVA), Eyesafe	Wide Viewing Angle (WVA), Eyesafe
Display-p (active a	panel dimensions rea):			
	Height	210.24 mm (8.28 in.)	210.24 mm (8.28 in.)	210.21 mm (8.28 in.)
	Width	336.38 mm (13.24 in.)	336.38 mm (13.24 in.)	336.34 mm (13.24 in.)
	Diagonal	396.24 mm (15.60 in.)	396.24 mm (15.60 in.)	396.24 mm (15.60 in.)
Display-p	panel native n	1920 x 1200	3840 x 2400	3456 x 2160
Luminano	ce (typical)	500 nits	500 nits	400 nits
Megapix	els	2.30	9.20	7.46
Color gar	mut	100% sRGB	100% AdobeRGB, DCI-P3 94% (typ)	DCI-P3 100% (typ)
Pixels Pe	er Inch (PPI)	145	290	261
Contrast	ratio (typical)	1650:1 (typical)	1600:1	SDR - 80,000:1 (typ)HDR - 124,000:1 (typ)
Response	e time (max)	35 ms	35 ms	2 ms
Refresh i	rate	60 Hz	60 Hz	60 Hz
Horizont	al view angle	85 +/- degrees	85 +/- degrees	88 +/- degrees
Vertical v	view angle	85 +/- degrees	85 +/- degrees	88 +/- degrees
Pixel pito	ch	0.18 mm	0.09 mm	0.10 mm

Table 17. Display specifications (continued)

Description	Option one	Option two	Option three
Power consumption (maximum)	4.41 W	10.40 W	8.74 W
Anti-glare vs glossy finish	Anti-glare	Anti-reflective	Anti-reflective
Touch options	No	Touch support, with 10 touch points	Touch support, with 10 touch points

Fingerprint reader

The following table lists the fingerprint-reader specifications of your XPS 15 9520.

i NOTE: The fingerprint reader is located on the power button.

Table 18. Fingerprint reader specifications

Description	Values
Fingerprint-reader sensor technology	Capacitive
Fingerprint-reader sensor resolution	500 dpi
Fingerprint-reader sensor pixel size	108 x 88

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your XPS 15 9520.

Table 19. GPU—Integrated

Controller	Memory size	Processor
Intel Iris X ^e Graphics (Dual-channel memory configurations)	Shared system memory	12 th Generation Intel Core i5/i7/i9
Intel UHD Graphics (Single-channel memory configurations)	Shared system memory	12 th Generation Intel Core i5/i7/i9

GPU—Discrete

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your XPS 15 9520.

Table 20. GPU—Discrete

Controller	Memory size	Memory type
NVIDIA GeForce RTX 3050 Laptop	4 GB	GDDR6
NVIDIA GeForce RTX 3050Ti Laptop	4 GB	GDDR6

Operating and storage environment

This table lists the operating and storage specifications of your XPS 15 9520.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 21. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing) 0% to 95% (non-condensing)	
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	140 G†	160 G†
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10000 ft)	-15.2 m to 10668 m (-49.87 ft to 35000 ft)

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

 $[\]ensuremath{^{*}}$ Measured using a random vibration spectrum that simulates user environment.

[†] Measured using a 2 ms half-sine pulse.

Dell low blue light display

WARNING: Prolonged exposure to blue light from the display may lead to long-term effects such as eye strain, eye fatigue, or damage to the eyes.

The ComfortView feature on Dell laptops and displays is designed to minimize blue light emitted from the display for better eye comfort.

To reduce the risk of eye strain after looking at the laptop's display for an extended period of time, it is recommended that you:

- 1. Set the laptop's display at a comfortable viewing distance between 20 inches and 28 inches (50 cm and 70 cm) from your eyes.
- 2. Blink frequently to moisten your eyes, or wet your eyes with water.
- **3.** Take a break for 20 minutes every two hours.
- 4. Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break

Keyboard shortcuts of XPS 15 9520

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **@** is typed out.

The keys **F1-F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F1** mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing Fn + esc. Subsequently, multimedia control can be invoked by pressing Fn and the respective function key. For example, mute audio by pressing Fn + F1.

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 22. List of keyboard shortcuts

Function key	Redefined key (for multimedia control)	Behavior
□ □ F1	fn + \(\sigma\times_{\text{F1}}\)	Mute audio
	fn + C;	Decrease volume
□□ ") _{F3}	fn + □□" F3	Increase volume
▷II F4	fn + ▷II _{F4}	Play/Pause
户 F5	fn + `	Toggle keyboard backlight
-; ċ ;- F6	fn + .☆ _{F6}	Decrease brightness
F7	fn + :€; F7	Increase brightness

Table 22. List of keyboard shortcuts (continued)

Function key	Redefined key (for multimedia control)	Behavior
F8 F8	fn + 🗐 F8	Switch to external display
prt sc F10	fn + prt sc	Print screen
home F11	fn + home	Home
end F12	fn + end F12	End

The **Fn** key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 23. List of keyboard shortcuts

Function key	Behavior
fn + B	Pause/Break
fn + S	Toggle scroll lock
fn + R	System request
fn + ctrl	Open application menu
fn + esc	Toggle Fn-key lock

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 24. Self-help resources

Self-help resources	Resource location	
Information about Dell products and services	www.dell.com	
My Dell app	DELL	
Tips	*	
Contact Support	In Windows search, type Contact Support, and press Enter.	
Online help for operating system	www.dell.com/support/windows	
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support. For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer.	
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles. 	

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- (i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.