ideacentre AIO 730S (24") Intel FODX003URI

Product ideacentre AIO 730S-24IKB

Region EET

Country Romania

Machine Type F0DX

Processor Core i7-8550U (4C, 1.8 / 4.0GHz, 8MB)

Graphics AMD Radeon 530 2GB GDDR5

Chipset Intel SoC Platform

Memory 8GBx1

Storage 256GB SSD M.2 PCIe NVMe

Optical None

Media Reader 3-in-1

Display 23.8" FHD (1920x1080)

Multi-touch None

Camera 1080p

Microphone Dual Array

HDMI HDMI-in/out

WLAN + Bluetooth 11ac, 1x1 + BT4.0 Keyboard / Mouse 2.4G Iron Gray / 2.4G Iron Gray

Power Supply 90W Adapter

Speaker 3Wx2

Operating System None

Color Iron Gray

Warranty 2-year, Depot

EAN / UPC 193268756526

Ann Date (mm/yy) 11/18

Note:

* Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX -Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

WWW.LENOVO.COM

This publication was developed for products and services oered in the United States and E.M.E.A countries. Lenovo may not oer the products, services or features discussed in this document in other countries. Lenovo may withdraw an oering at any time. Information is subject to change without notice. Consult your local representative for information on oerings available in your area. Lenovo

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2017. All rights reserved.



ideacentre AIO 730S (24") Intel Platform Specifications

* System automatically clocks down for the processors with lower memory controller Dimensions (WXDxH) Max weight (b / kg) Adjustments Storage Some: Hard Drive / SATA 6.0Gb/s, 2.5°, 5400 rpm Some: Intel Optiane TM Memory (not support models with 13-7020U), M.2 Without stand 21.3 X 1.6 X 1.3 4 (inch); N/A N/A N/A Optional external DVD Burner (DVD±RW), tray-in, sim, USB 2.0 3-in-1 media card reader (SD, SDHC, SDXC) 90 watts adapter, 100V-240V Titt: 25 back, 5° forward Some: Intel UHD Graphics 620 in processor, uses main memory, DirectX [®] 12; some: AMD Radeon 530, 2GB GDDR5, DirectX 12; some: AMD Radeon 530, 2GB GDDR5, DirectX 12; some: AMD Radeon 530, 2GB GDDR5, 1920X1080 (Panel)@60Hz Power supply 90 watts adapter, 100V-240V Multi-touch 23.8° (6Amm) Full HD (1920X1080) TFT color, WVA panel, wide viewing angle (+/ 89°), LED backlight, 250 nist, 16:9 aspect ratio, 1000:1 contrast ratio Preloaded operating system Some: 1-year, Himited mail-in service / service upgrades available Some: Intel SO platform Power button and HDMI-in/out combo port, MI (Advanced In-cell Touch) technology some: Ine adepting, supports Windows Hello Preloaded operating system Some: Windows 10 Home 64-bit Preloaded splications (only some listed) • Microsoft Oflice preloaded; pulcitations (only some listed) • Microsoft Oflice preloaded; pulcitations (only some listed) • Microsoft Oflice Advise a product key to activate • Lenvoor Application (Rey	Processor	Intel® 7th or 8th Gen Intel Core™ i3 / i5 / i7 Processor						Security chip					
Interacts Interacts BaseWrat(HP2) Upp (0) Graphics Core i5-70200 2/4 2.3 3 MB DDPR4-2130 UHO 620 Core i5-82500 4/8 1.86/3.4.0 8 MB DDR4-2430 UHO 620 Core i7-82500 4/8 1.86/4.0.6 8 MB DDR4-2430 UHO 620 Memory 16GB max, DDR4-2400, one 260-pin SO-DIMM socket *System automatically clocks down for the processors with lower memory controller Mechanical *Ion gray or silver color Some: Her Dytain * Menory A colobicy.2.5*, 5600 rpm Some: Some: Intel UHD Charphice 520 in processor, uses main memory. DirectX* 12. Mechanical *Int media card reader (DS).SDHC, SDSDC) Power supply Preloade Preloade operating system Some: Intel UHD Graphics 620 in processor, uses main memory. DirectX* 12. Some: Intel UHD Graphics 620 in processor, uses main memory. DirectX* 12. Preloaded operating system Some: Intel sol (DMI) % objeck 12. Power supply Power supply Power supply Preloaded operating system Some: Intel UHD Graphics 620 in proce		Processor			Cache								
Dore is 28200 4/8 1.63/3.4G 6 MB DDR4-2400 UHD 620 Core i7.58500 4/8 1.63/3.4G 6 MB DDR4-2400 UHD 620 Memory 16GB max, DDR4-2400, on 280-pin SO-DIMM socket + system automatically clocks down for the processors with lower memory controller + Iron gray or silver color Storage Some: Hard Drive / SATA 6.0Gb/s, 2.5°, 5400 rpm Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), ison gray Some: Some: Intel UBH and Some: Intel				· · · · ·				Keyboard					
Date Other State Other State Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), silver Memory 16GB max, DDR4-2400, one 260-pin SO-DIMM socket • Iron gray or silver color Storage Some: Hard Drive (5 State 6.0Gb/s, 2.5°, 5400 prm Some: M.2 Solid State Drive (SSD) / PCle NWe • Iron gray or silver color Without stand 21.3 X 1.6 X 13.4 (inch): N/A N/A Optical Some: Intel Optane® Memory (not support models with 13-7020U), M.2 • Unimensions (WXDXH) Max weight (1b / kg) Adjustments Some: Intel UPD Graphics 620 in processor, uses main memory. DirectX® 12; external monitor support via HDM-In/out combo port; external monitor support via HDM-In/out combo port; Power supply 90 watts adapter, 100V-240V Camera Some: Intel UPD Graphics 620 in processor, uses main memory. DirectX® 12; external monitor support via HDM-In/out combo port; Intel Soc Dist, 16:0 aspect ratio, 1000 ic contrast ratio Preloaded operating system Some: 1-year, Imited mail-in service / service upgrades available Some: Intel Soc Dist, 16:0 aspect ratio, 1000 ic contrast ratio Optional multi-touch, supports Windows Hello Preloaded applications (SMX PW) Preloaded applications (PW advised forth, SMC PW advised forth) Some: Intel Soc Dist, 16:0 aspect ratio, 1000 is not, AIT (Advanced In-cell Touch) technology Some: IRG0 po camera, IRW					-			Mouse	Some: Lenovo Wireless Keyboard (2.4GHz via USB receiver), silver				
Instrument Memory Instrument Mechanical Memory 16GB max, DDR4-2400, one 260-pin SO-DIMM socket Dimensions (WaDXH) Max weight (b / kg) Adjustments Storage Some: Hard Drive / SATA 6.0Gb/s, 2.57, 5400 rpm Dimensions (WaDXH) Max weight (b / kg) Adjustments Storage Some: M.2 Solid State Drive (SSD) / PCie NVMe Titl: 25° back, 5.7, 5400 rpm N/A N/A Optical Optional external IVD Burrer (DVD-RW), travin, slim, USB 2.0 Some: Intel Optane" Memory (not support models with i3-7020U), M.2 Optional external IVD Burrer (DVD-RW), travin, slim, USB 2.0 Some: Intel UHD Graphics 620 in processor, uses main memory, DirectX ¹² ; sexternal monitor support via HDMI-invoid combo port; Max resolution: 1920x1080 (HDMI) @ 60Hz, 1920x1080 (HDMI) @ 60Hz					• •••=				Some: Lenovo Wireless Mouse (2.4GHz via USB receiver), silver				
* System automatically clocks down for the processors with lower memory controller Dimensions (WXDxH) Max weight (b / kg) Adjustments Storage Some: Hard Drive / SATA 6.0Gb/s, 2.5°, 5400 rpm Some: Intel Optiane TM Memory (not support models with 13-7020U), M.2 Without stand 21.3 X 1.6 X 1.3 4 (inch); N/A N/A N/A Optional external DVD Burner (DVD±RW), tray-in, sim, USB 2.0 3-in-1 media card reader (SD, SDHC, SDXC) 90 watts adapter, 100V-240V Titt: 25 back, 5° forward Some: Intel UHD Graphics 620 in processor, uses main memory, DirectX [®] 12; some: AMD Radeon 530, 2GB GDDR5, DirectX 12; some: AMD Radeon 530, 2GB GDDR5, DirectX 12; some: AMD Radeon 530, 2GB GDDR5, 1920X1080 (Panel)@60Hz Power supply 90 watts adapter, 100V-240V Multi-touch 23.8° (6Amm) Full HD (1920X1080) TFT color, WVA panel, wide viewing angle (+/ 89°), LED backlight, 250 nist, 16:9 aspect ratio, 1000:1 contrast ratio Preloaded operating system Some: 1-year, Himited mail-in service / service upgrades available Some: Intel SO platform Power button and HDMI-in/out combo port, MI (Advanced In-cell Touch) technology some: Ine adepting, supports Windows Hello Preloaded operating system Some: Windows 10 Home 64-bit Preloaded splications (only some listed) • Microsoft Oflice preloaded; pulcitations (only some listed) • Microsoft Oflice preloaded; pulcitations (only some listed) • Microsoft Oflice Advise a product key to activate • Lenvoor Application (Rey					-		UHD 620	Mechanical	 Iron gray or 	silver color			
System authinatically clocks down for the processors with owner memory bortchaller Storage Some: Hard Drive / SATA 6.0.06, x 25°, 5400 pm Some: M.2 Solid State Drive (SSD) / PCIe NVMe Some: Intel Optane ^{max} Memory (not support models with 13-7020U), M.2 Optical Optional external DVD Burner (DVD+RW), tray-in, sim, USB 2.0 Media reader 3-in-1 media card reader (SD, SDHC, SDXC) Graphics Some: Intel UHD Graphics 620 in processor, uses main memory, DirectX [®] 12; Some: AMD Radeon 530, 2GB GDDR5, DirectX 12; external monitor support va HDMI-in/out combo port; Max resolution: 1920x1080 (HDMI)@60Hz, 1920x1080 (Panel)@60Hz Display 23.8 (54.40mr) Full HD (1920x1080) TFT color, WA panel, wide viewing angle (H- 86 ⁹), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio Optional multi-louck, supports 10-point, AIT (Advanced In-cell Touch) technology Some: Intel Soc platform Ports Reamer, 1080p, supports Windows Hello Controls Power button and HDMI-in/out switch button on rear Ports Reamer, 1080p, supports Windows Hello Ports Reamer, 1080p, supports Windows Hello Controls Potional HDMI-in/out switch button on rear M.2 card slot Two M.2 Card slots (one for WLAN, one for SSD) Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal	Memory									Dimensions (WxDxH)	Max weight (lb / kg)	Adjustments	
Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: M.2 Solid State Drive (SS) / PCIe NV PM Some: M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIe NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Media reader M.2 Solid State Drive (SS) / PCIE NV PM Med	<u>.</u>								Without stop	21.3 X 1.6 X 13.4 (inch);		,	
Some: Intel Optane™ Memory (nof support models with i3-7020U), M.2 With stand 21.3 × 0.7 × 10.5 (intuit), 10.6 / 4.82 10.6 / 4.82 1.5 × 10.5	Storage	Some: M.2 Solid State Drive (SSD) / PCle NVMe Some: Intel Optane™ Memory (not support models with i3-7020U), M.2 Optional external DVD Burner (DVD±RW), tray-in, slim, USB 2.0							without stand	541.6 X 40.05 X 341.5 (MM)	IN/A	-	
Media reader 3-in-1 media card reader (SD, ŠDHC, SDXC) Power supply 90 watts adapter, 100V-240V Graphics Some: Intel UHD Graphics 620 in processor, uses main memory, DirectX ¹ 2; Some: AMD Radeon 530, 2GB GDDR5, DirectX 12; external monitor support via HDMI-in/out combo port; Max resolution: 12920x1080 (HDNI)@60Hz, 1922x1080 (Panel)@60Hz Power supply 90 watts adapter, 100V-240V Display 23.8" (546mm) Full HD (1920x1080) TFT color, WVA panel, wide viewing angle (+/ B9'), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology Some: IR camera, 1080p, supports Windows Hello Controls Preloaded operating system Some: Windows 10 Home 64-bit Preloaded applications (only some listed) Preloaded application (x) supports Windows Hello Controls Controls Power button and HDMI-in/out combo port, one power connector Bottom: one Headphone / microphone combo jack (3.5mm), card reader Two M.2 Card slots (one for WLAN, one for SSD) Preloaded application Explorer MCA1es [®] LiveSafe [®] (30-day trial) Cyberlink Power2GO (DVD±RW) Cyberlink Power2GO (DVD±RW) Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone WLANI ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 wirelesa, integrated in Wi-Fi + Bluetooth combo adapter, Gigabit ethernet, Realtek RTL81111G For compatible accessories, please go to http://smartfind.lenovo.com	Optical								With stand		10.6 / 4.82		
Some: AMD Radeon 530, 22G GDDR5, DirectX 12; external monitor support via HDMI-in/out combo port; Max resolution: 1920x1080 (HDMI) @ 60Hz, 1920x1080 (Panel)@ 60Hz Some: 1-year of 2-year, depot repair service / service upgrades available Display 23.8" (546mm) Full HD (1920x1080) TFT color, WVA panel, wide viewing angle (+/- 89"), LED backlight, 250 nits, 15:9 aspect ratio, 1000:1 contrast ratio Preloaded operating system Multi-touch Camera Some: Intel Soc Platform Some: Intel Soc Platform Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector McAtee® LiveSafe" (30-day trial) Multi-oution wulti-tow M.2. Card slots (one for WLAN, one for SSD) Environ ML2 Card slots (one for WLAN, one for SSD) Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone Some: August and and the speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone WLAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G Some: Camera Environment ENERGY STAR [®] ; ErP Lot 3; GREENGUARD [®] certified; RoHS-compliant	Media reader							Power supply	90 watts adapter, 100V-240V				
Max resolution: 1920x1080 (HDMI)@60Hz, 1920x1080 (Panel)@60Hz Display 23.8" (546mm) Full HD (1920x1080) (HDMI)@60Hz, 1920x1080 (Panel)@60Hz By*, LED backlight, 250 nits, 16:9 aspect ratio, 100:1 contrast ratio Optional multi-touch, Supports 10-point, AIT (Advanced In-cell Touch) technology Camera Some: 18 camera, 1080p, supports Windows Hello Power button and HDMI-in/out switch button on rear Multi-touch Chipset Intel SoC platform Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector Bottom: one headphone r microphone microphone Muido support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone Some adaptore, M.2 card slots (one for WLAN, one for SSD) WLAN ¹³ Optional 111c Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 Bluetooth TM Optional 111c Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 Bluetooth TM Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter KMLAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter MULAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter MULAN ¹³ Optional Bluetooth 4.0 wi	Graphics	Some: AMD Radeon 530, 2GB GDDR5, DirectX 12; external monitor support via HDMI-in/out combo port; Max resolution: 1920x1080 (HDMI)@60Hz, 1920x1080 (Panel)@60Hz						Limited warranty ³	como. I your man in corrico / corrico apgradoo avalabio				
Display 23.8" (546mm) Full HD (1920x1060) TFT color, WVA panel, wide viewing angle (+/- 89°), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio Interviewed operating system Multi-touch Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology Some: 1080p camera, fixed focus Some: IR camera, 1080p, supports Windows Hello Multi-touch and HDMI-in/out switch button on rear Multi-touch and HDMI-in/out switch button on rear Chipset Intel SoC platform McAfee® LiveSafe [™] (30-day trial) Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector McAfee® LiveSafe [™] (30-day trial) Bottom: one headphone / microphone combo jack (3.5mm), card reader Environment ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone For compatible accessories, please go to http://smartfind.lenovo.com WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 For compatible accessories, please go to http://smartfind.lenovo.com													
89°), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio Multi-touch Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology Camera Some: 1080p camera, fixed focus Some: IR camera, 1080p, supports Windows Hello Power button and HDMI-in/out switch button on rear Chipset Intel SoC platform Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector Bottom: one headphone / microphone combo jack (3.5mm), card reader M.2 card slot High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby* Audio Premium, dual array microphone WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Bluetooth TM Optional 11ac Wi-Fi + Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter	Display												
Multi-touch Camera Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology Some: 1080p camera, fixed focus • Microsoft Office preloaded; purchase a product key to activate Some: IR camera, 1080p, supports Windows Hello Power button and HDMI-in/out switch button on rear • Lenovo Application Explorer Chipset Intel SoC platform • Microsoft Office preloaded; purchase a product key to activate Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector • Cyberlink PowerDVD (DVD±RW) Bottom: one headphone / microphone combo jack (3.5mm), card reader • Universet M.2 card slot Two M.2 Card slots (one for WLAN, one for SSD) Two M.2 Card slots (one for WLAN, one for SSD) Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone For compatible accessories, please go to http://smartfind.lenovo.com WLAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G For compatible accessories, please go to http://smartfind.lenovo.com		89°), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio							Preloaded applications (only some listed) Microsoft Office preloaded;				
Some: IR camera, 1080p, supports Windows Hello Power button and HDMI-in/out switch button on rearPurchase a product key to activate a product key to activate 		Optional multi-touch, supports 10-point, ALL (Advanced In-cell Touch) technology											
Chipset Intel SoC platform Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector McAfee® LiveSafe" (30-day trial) Bottom: one HDMI-in/out combo port, one power connector Cyberlink Power2GO (DVD±RW) M.2 card slot Two M.2 Card slots (one for WLAN, one for SSD) LinkedIn Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby® Audio Premium, dual array microphone Environment ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 For compatible accessories, please go to http://smartfind.lenovo.com WLAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G	Gumora												
Ports Rear: one USB 3.1 Type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector Cyberlink PowerDVD (DVD±RW) Bottom: one headphone / microphone combo jack (3.5mm), card reader User Guide M.2 card slot Two M.2 Card slots (one for WLAN, one for SSD) Invironment Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby® Audio Premium, dual array microphone Finvironment ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 For compatible accessories, please go to http://smartfind.lenovo.com WLAN ¹³ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G	Controls	Power button and HDMI-in/out switch button on rear						Lenovo Application Explorer					
Ports Hear: one USB 3.1 type-C Gen1, three USB 3.1 Gen1, one ethernet (RJ-45), one HDMI-in/out combo port, one power connector Bottom: one headphone / microphone combo jack (3.5mm), card reader Two M.2 Card slots (one for WLAN, one for SSD) LinkedIn Environment ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant Accessories Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G Combox State Stat	Chipset	Intel SoC platform							 Cyberlink PowerDVD (DVD±RW) Cyberlink Power2GO (DVD±RW) User Guide 				
Bottom: one headphone / microphone combo jack (3.5mm), card reader M.2 card slot Two M.2 Card slots (one for WLAN, one for SSD) Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby [®] Audio Premium, dual array microphone Environment WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter	Ports	one HDMI-in/out combo port, one power connector											
Audio support High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers (3W x 2), Dolby® Audio Premium, dual array microphone Environment ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 For compatible accessories, please go to http://smartfind.lenovo.com Bluetooth™ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Realtek RTL8111G	M 2 card slot												
(3W x 2), Dolby [®] Audio Premium, dual array microphone Accessories For compatible accessories, please go to http://smartfind.lenovo.com WLAN ¹³ Optional 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, dual band, 1x1 For compatible accessories, please go to http://smartfind.lenovo.com Bluetooth™ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Ethernet		High Definition (HD) Audio, Realtek or Conexant chip / two internal speakers						Environment	ENERGY STAR®; ErP Lot 3; GREENGUARD® certified; RoHS-compliant				
Bluetooth™ Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Ethernet Gigabit ethernet, Realtek RTL8111G								Accessories	For compatible accessories, please go to http://smartfind.lenovo.com				
Manageability None	WLAN¹³ Bluetooth™ Ethernet	Optional Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter											
	Manageability	None]					

Lenovo, May 2018

ideacentre AIO 730S (24") Intel





(intel)



(intel) inside C 12.0 111







(intel) inside