

A4 Digital Colour Laser Printers

# RICOH SP C261DNw SP C261SFNw

☑ Copier ☑ Printer ☑ Facsimile ☑ Scanner

**RICOH**  
imagine. change.



RICOH  
SP C261DNw

20  
ppm  
(A4)  
Monochrome  
Full Colour

RICOH  
SP C261SFNw

20  
ppm  
(A4)  
Monochrome  
Full Colour

# Get Maximum Reliability and Quality for your workspace

The Ricoh SP C261DNw Colour Printer and SP C261SFNw Colour Multifunction Printer (MFP) are compact in size and produce impressive colour documents that give your business the efficiency and support it deserves.

These printers pack high productivity and easy functionality into a small footprint, with Ricoh technology that delivers years of reliable operation.

Equipped with wireless connectivity, these printers provide flexibility in where you place them, and mobile printing is made easy from your smart devices.

- Print speed of up to 20 ppm to raise work productivity and produce professional output at up to 2,400 x 600 dpi resolution
- Offers a USB 2.0 Type A port for connection to PictBridge-enabled digital cameras
- Automatic duplexing as standard to enable double-sided printing and minimize paper consumption
- 4.3" full colour LCD panel that simplifies operation with easy to read screen and large keys and icons for menu navigation (Ricoch SP C261SFNw)
- 50-sheet Single Pass Document Feeder (SPDF) that captures both sides of duplex originals in a single operation, improving productivity of scanning, copying and faxing (Ricoch SP C261SFNw)



## Added Flexibility, Convenience and Mobility

Ricoh SP C261DNw and SP C261SFNw offer standard wired and wireless networking that extend the use to a wide variety of smart devices. You can connect your smart devices directly to these printers and easily print on-the-go, no printer drivers required. Multiple types of mobile device printing are supported, including Apple AirPrint™, Google Cloud Print™, and Mopria mobile printing. The embedded Near Field Communication (NFC) tag on the front of the printer or MFP allows you to perform tasks from Android™ devices swifty— Simply tap the NFC tag with your smart device to print with the RICOH Smart Device Connector App, or easily scan documents with the RICOH SP C260 Scan App.



## Efficient and Cost Saving Functionality

Automatic duplex printing is readily available on Ricoh SP C261 Series and allows you to reduce paper consumption and contributes more to saving natural resources. Enjoy more value with added control from the printer or MFP — such as limiting colour print functions to save on toner supplies by adding restrictions with user codes. The printer or MFP gives you even more control over operating costs by letting you restrict users from performing additional functions. Designed to maximize efficiency, SP C261SFNw is equipped with Single Pass Document Feeder (SPDF) that accelerates scanning operations for duplex original or multiple-page documents, saving more time to complete these tasks.



## Ease of use with 4.3" Full Colour LCD Touch Panel (SP C261SFNw)

Navigate tasks and manage settings easily from the SP C261SFNw's user-friendly 4.3" colour touch panel. Plus, the panel offers at-a-glance job and supply status monitoring. With a customizable Home screen, you can register up to 12 of your favourite jobs using the touchscreen for quick recall, so you can perform tasks on your MFP even faster.



## Simple All-in-One cartridge and Expandable Paper Capacity Offering

Simplify your workload with unmatched convenience that builds on Ricoh's legacy of affordable and time saving innovations for the workplace. You can change the top-loading, all-in-one toner cartridges easily without help, and without mess. For longer, uninterrupted print runs, add an optional Paper Feed Unit to maximize the paper capacity of up to 751 sheets.





# RICOH SP C261DNw / SP C261SFNw

## MAIN SPECIFICATIONS

MODEL	SP C261DNw	SP C261SFNw
Function	Print	Print/Scan/Copy/Fax
<b>GENERAL</b>		
Configuration	Desktop	
Duplex	Automatic (Standard)	
Dimension (W x D x H)	400 x 450 x 320 mm	420 x 493 x 473 mm
Weight	23.8 kg	30 kg
Processor	350 MHz	400 MHz
Memory (Std/Max)	256 MB / 256 MB	
Interface (Std)	10Base-T/100Base-TX, IEEE 802.11b/g/n, NFC Tag, USB 2.0 High speed Type A (For Pictbridge, Scan to USB Flash Drives)	
Mobile Print Capability <sup>1</sup>	Ricoh Smart Device Connector App, Ricoh SP C260 series Scan App, Mopria-certified, Apple AirPrint™, Google Cloud Print™	
Power Consumption (Max)	Less than 1,300 W	
Energy Saver (Sleep)	1.2 W	1.3 W
TEC Value	1.2 kWh	1.3 kWh
Power Source	220-240 V, 50/60 Hz	
ENERGY STAR	Certified	
<b>PRINT</b>		
Print Technology	Laser	
Print Speed (A4)	Up to 20 ppm	
Warm-up Time	30 seconds or less	
First Print Out Time	14 seconds or less	
Printer Language (Std)	PCL 6/5c, Postscript 3 Emulation	
Print Resolution	Up to 2,400 x 600 dpi	
Supported Operating System	Windows® Vista, Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008/R2, Windows® Server 2012/R2; Macintosh OS X Native V10.9-10.12; Linux; Unix Filter	
Fonts	PCL/PS3 : 80 fonts	
Network Protocol	TCP/IP, IPP, Bonjour	
<b>COPY</b>		
Copy Speed (A4)	Up to 20 cpm	
Document Feeder Type	Single Pass Document Feeder (SPDF)	
Document Feeder Capacity	50 sheets	
First Copy Time (A4)	Less than 20 seconds	
Multiple Copy	Up to 99 copies	
Resolution	Flatbed: 600 x 600 dpi, SPDF: 300 x 600 dpi	
Reduction / Enlargement	25% - 400% in 1% increments	
Copy Features	Image Density Adjustment (Manual only: 5 levels), Image Quality Mode (Text/Photo/Mixed), Colour Balance Adjustment, Combine Copy (2-in-1, 4-in-1 via ADF only), Duplex Copy, ID Card Copy (2-in-1), Memory Copy, Photo Mode, Electronic Sorting (Collation, ADF only)	
<b>SCAN</b>		
Scan Technology	CIS	
Scan Mode	Colour, B&W, Grayscale	
Scan Speed <sup>2</sup>	Mono: 5 seconds, Colour: 8.5 seconds	
Scan Resolution	Mono/Colour: Up to 600 x 600 dpi (SPDF), 1,200 x 1,200 dpi (Flatbed)	
Scan Area	SPDF: 216 x 356 mm; Flatbed: 216 x 297 mm	
File Format	Single Page JPEG, Single/Multi Page TIFF, Single/Multi Page PDF	
Supported Driver	Windows: TWAIN; Mac: ICA; Linux: SANE	
Scan-To Modes	Scan-to-Email /Scan-to-Folder (SMB/FTP) /Scan-to-Media (USB)	
<b>FAX</b>		
Circuit	PSTN, PBX	
Compatibility	Super G3	
Resolution	Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi	
Compression Method	MH/MR/MMR/JBIG	
Modem Speed	Maximum: 33.6 Kbps	
Memory Backup	Yes	
<b>PAPER HANDLING</b>		
Paper Size	A4, A5, A6, B5, B6, Legal, Letter, HLT, Executive, Foolscap, Folio, Envelopes (Com10, Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm	
Paper Input Capacity	Standard: 251 sheets; Maximum: 751 sheets	
Paper Output Capacity	Maximum: 150 sheets	
Paper Weight	Standard Tray: 60 - 160 g/m <sup>2</sup> ; Optional Tray: 60 - 105 g/m <sup>2</sup> ; Bypass: 60 - 160 g/m <sup>2</sup> ; Duplex: 60 - 90 g/m <sup>2</sup>	
Media Capability (Std Tray)	Plain paper, Middle thick paper, Thick paper 1/2, Thin paper, Recycled paper, Colour paper, Letterhead, Pre-printed paper, Prepunched Paper, Labels, Envelopes, Bond, Cardstock	
<b>OPTIONS</b>		
Accessories	Paper Feed Unit TK1220 (1 x 500 sheets)	
<b>CONSUMABLES</b>		
All-in-One Toner Cartridge*		
Black	Print Cartridge Black SP C250S (~2,000 prints)	
Cyan	Print Cartridge Cyan SP C250S (~1,600 prints)	
Magenta	Print Cartridge Magenta SP C250S (~1,600 prints)	
Yellow	Print Cartridge Yellow SP C250S (~1,600 prints)	
WTB	Waste Toner Bottle SP C220 (~25,000 prints)	
Ships with starter toner cartridges (black, cyan, magenta, yellow) that yield approximately 1,000 prints each cartridge.		

\* Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

<sup>1</sup> Ricoh Smart Device Connector App for print function and Ricoh SP C260 Scan App for scan function only.

<sup>2</sup> Refers to flatbed scanning of 600 x 600 dpi, A4.

<sup>3</sup> Pantone License is pending

For availability of models, options and software, please consult your local Ricoh supplier.

**RICOH**  
imagine. change.

[www.ricoh-ap.com](http://www.ricoh-ap.com)

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467  
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2017 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.

